

Energy levels and radiative rates for transitions in Cr-like Co IV and Ni V

K. M. Aggarwal^{a,*}, P. Bogdanovich^b, R. Karpušienė^b, F. P. Keenan^a, R. Kisieličius^b, V. Stancalie^c

^a*Astrophysics Research Centre, School of Mathematics and Physics, Queen's University Belfast,
Belfast BT7 1NN, Northern Ireland, UK*

^b*Institute of Theoretical Physics and Astronomy, Vilnius University, A. Goštauto 12, LT-01108 Vilnius, Lithuania*

^c*National Institute for Laser, Plasma and Radiation Physics, Atomistilor 409, P.O. Box MG-36, Magurele-Ilfov, 077125 Romania*

Abstract

We report calculations of energy levels and radiative rates (A -values) for transitions in Cr-like Co IV and Ni V. The quasi-relativistic Hartree-Fock (QRHF) code is adopted for calculating the data although GRASP (general-purpose relativistic atomic structure package) and flexible atomic code (FAC) have also been employed for comparison purposes. No radiative rates are available in the literature to compare with our results, but our calculated energies are in close agreement with those compiled by NIST for a majority of the levels. However, there are discrepancies for a few levels of up to 3%. The A -values are listed for all significantly contributing E1, E2 and M1 transitions, and the corresponding lifetimes reported, although unfortunately no previous theoretical or experimental results exist to compare with our data.

Received: 14 May 2015, *Accepted:* 24 September 2015

Keywords: Cr-like ions, energy levels, radiative rates, oscillator strengths, line strengths, lifetimes

*Corresponding author.

Email address: K.Aggarwal@qub.ac.uk (K. M. Aggarwal)

Contents

1. Introduction	2
2. Energy levels	4
3. Radiative rates	7
4. Lifetimes	8
5. Conclusions	8
Appendix A. Supplementary data	8
References	9
Explanation of Tables	13
Tables	
1. Energies (in cm^{-1}) and lifetimes (τ , s) for the levels of Co IV. $a \pm b \equiv a \times 10^{\pm b}$. See page 13 for Explanation of Tables	15
2. Energies (in cm^{-1}) and lifetimes (τ , s) for the levels of Ni V. $a \pm b \equiv a \times 10^{\pm b}$. See page 13 for Explanation of Tables	20
3. Transition wavelengths in vacuum (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij} , dimensionless), and line strengths (S , in atomic units) for electric dipole (E1), and A_{ji} for electric quadrupole (E2) and magnetic dipole (M1) transitions of Co IV. See page 13 for Explanation of Tables	25
4. Transition wavelengths in vacuum (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij} , dimensionless), and line strengths (S , in atomic units) for electric dipole (E1), and A_{ji} for electric quadrupole (E2) and magnetic dipole (M1) transitions of Ni V. See page 13 for Explanation of Tables	26
5. Radiative transition wavelengths (λ_{ij} in Å) and oscillator strengths (f_{ij} , dimensionless) for all strong E1 transitions of Co IV. See page 13 for Explanation of Tables and Table 1 for definition of level indices	28
6. Radiative transition wavelengths (λ_{ij} in Å) and oscillator strengths (f_{ij} , dimensionless) for all strong E1 transitions of Ni V. See page 14 for Explanation of Tables and Table 2 for definition of level indices	29

1. Introduction

Iron group elements (Sc – Zn) are becoming increasingly important in the study of astrophysical plasmas, as many of their lines from different ionization stages are frequently observed. These lines provide a wealth of data on plasma characteristics, including temperature, density and chemical composition. Additionally, iron group elements are often impurities in fusion reactors, and to estimate the power loss from the impurities, atomic data (including energy levels and oscillator strengths or radiative decay rates) are required for many ions. The need for atomic data has become even greater with the developing ITER project. Since there is a paucity of measured parameters, one must depend on theoretical results. Therefore, over the last few years we have reported atomic parameters for many ions of the iron group elements – see for example [1–4] and references therein. Among Co ions, results have already been provided for Co XXVII [5], Co XXVI [6], Co XXV [4], Co XXII [7], Co XVI [8], and Co XI [9]. Similar data for several Ni ions have

also been reported, i.e. Ni XI [10], Ni XIII – Ni XVI [11], Ni XVII [8], Ni XIX [2], Ni XXIII [7], Ni XXVI [4], Ni XXVII [6], and Ni XXVIII [5]. Here we focus our attention on Cr-like Co IV and Ni V.

Several emission lines of Co and Ni ions have been observed in astrophysical plasmas, as listed in the CHIANTI database at <http://www.chiantidatabase.org>. Similarly, many lines of these ions, below 2000 Å, are also listed in the compilation by Kelly [12]. However, we are not aware of any observed lines of Co IV but Raassen and Hansen [13] have identified forbidden lines of Ni V in Eta Carinae (η Car). Similarly, Preval et al. [14] have analysed many lines of Ni V in the near- and far-ultraviolet range (1150–3145 Å and 910–1185 Å) belonging to the 4s–4p transitions, from the high-resolution spectra from hydrogen-rich (DA) white-dwarf star G191-B2B, obtained from the Hubble Space Telescope Imaging Spectrograph (STIS), and determined photospheric abundance of many elements, including Ni. Furthermore, many emission lines of Co IV and Ni V are listed in the 200–475 Å wavelength range in the *Atomic Line List* (v2.04) of Peter van Hoof at <http://www.pa.uky.edu/~peter/atomic/>, because these are useful in the generation of synthetic spectra. Similarly, experimental data are available in the literature for Co IV and Ni V by Poppe et al. [15], who identified the multiplets of $3d^6\ ^5D - 3d^5(^6S)4p\ ^5P^o$ lines from a laboratory spectrograph. Following these identifications, they calculated energies for several other levels of the $(3d^5)\ 4s$ and $4p$ configurations, based on some analytical expressions. These energies were compiled by Sugar and Corliss [16] and are available on the website of NIST (National Institute of Standards and Technology) at <http://www.nist.gov/pml/data/asd.cfm> [17].

The situation with regard to theoretical results is similar. Energies for a few levels of the $(3d^5)\ 4s$ and $4p$ configurations are available [18, 19], from calculations based on *least square fitting* of Slater-Condon parameters, and are biased towards the known (observed or measured) results and iso-ionic, iso-electronic and iso-nuclear trends. A wider set of data for 136 terms of the $3d^6$, $3d^54s$ and $3d^54p$ configurations has been reported for Co IV by one of the current authors [20], calculated in *LS* coupling with the CIV3 code [21], which neglects two-body relativistic operators, although these are not very important for this moderately heavy ion. More importantly, limited CI (configuration interaction) with some configurations involving the 4s, 4p and 4d orbitals is included, and *A*-values are not reported. Similarly, Kingston et al. [22] calculated energies but for only a few *LS* states of Ni V. Therefore, the available data are not suitable for applications in plasma modelling, because results are required for *fine-structure* levels and their corresponding transitions. However, recently Ong et al. [23] have reported energies for 131 levels of Ni V. They adopted the methodology of *configuration interaction* and *many-body perturbation theory* (CI+MBPT) for their calculations and the energies obtained agree within 2% of the NIST compilation. However, their reported levels are only a subset of the NIST compilation and particularly *missing* are the lowest 34 levels of the $3d^6$ configuration. Additionally, they have not calculated the *A*-values. Therefore, there is scope for extending their calculations.

In this work we report atomic data for energy levels and *A*-values for transitions among the $3d^6$, $3d^54s$ and $3d^54p$ configurations of Co IV and Ni V. For the calculations, we first employed the fully relativistic GRASP (general-purpose relativistic atomic structure package) code originally developed by Grant et al. [24], but later revised by one of its authors (P.H. Norrington). The code is based on the *jj* coupling scheme, is referred to as GRASP0 and is available at the website <http://web.am.qub.ac.uk/DARC/>. Furthermore, it includes the major modifications made in other versions, such as GRASP92 [25] and GRASP2K [26, 27]. Relativistic corrections arising from the Breit interaction and QED (quantum electrodynamics) effects (vacuum polarization and Lamb shift) are also included. Finally, we have used the option of *extended average level* (EAL), in which a weighted (proportional to the level statistical weight $2j + 1$) trace

of the Hamiltonian matrix is minimized. This produces a compromise set of orbitals describing closely lying states with moderate accuracy. However, it soon became clear that the level of CI required for Cr-like ions is too large, and the desired calculations could not be performed with the GRASP code within a reasonable time frame (a few months). Since our aim is to calculate only energy levels and A -values, we hence adopted the *Flexible Atomic Code* (FAC) of Gu [28], available from the website <https://www-amdis.iaea.org/FAC/>. This is also a fully relativistic code and yields results for energy levels and radiative rates comparable to GRASP, as has already been noted in several of our earlier papers – see, for example, Aggarwal et al. [8]. The FAC code is comparatively more efficient and therefore several sets of calculations with varying amount of CI can be performed within a reasonable time frame without significant loss of accuracy. However, in spite of including very large CI (see section 2), differences in energies compared to the NIST compilations remained unacceptably large (up to 35%) for many levels. This motivated us to try yet another approach with much more extensive CI, possible with our quasi-relativistic Hartree-Fock (QRHF) method that loosely follows ideas originally developed by Cowan [29]. The presently-adopted code has been developed by Bogdanovich and Rancova [30, 31] and includes packages from [32–34]. Its main properties are summarized by Bogdanovich and Kisielius [35] and it has been successfully employed for a variety of ions – for example, highly ionized W [35] and singly ionized S [36].

2. Energy levels

As noted above, we first employed the GRASP code to calculate energy levels and A -values for transitions in Co IV. We performed a series of calculations with increasing CI with up to 21 configurations, namely $3d^6$, $3d^54\ell$, $3d^55\ell$, $3d^44\ell^2$, $3d^44\ell4\ell'$, and $3p^53d^7$. These configurations generate up to 14 732 levels, and for brevity we focus on results only from the final calculations with the GRASP code, which are listed in Table A (including the Breit and QED corrections) for the lowest 33 levels of the $3d^6$ and $3d^54s$ configurations. We note that the Breit contributions are up to 0.004 Ryd whereas those from QED are negligible. Also included in this table for comparison are the results compiled by NIST. It is clear from the table that there is a significant discrepancy, for a majority of levels, between our results with GRASP and those of NIST – see for example, levels 6, 24 and 33, for which the differences are up to 26%. For most levels our results are lower, but are higher for a few, such as 6–32. Furthermore, the orderings are different between the two sets of energies – see for example, levels 6–14. Additionally, there are similar differences with our other calculations with lesser CI, which are not included in Table A for brevity. One reason for the large discrepancies for many levels may be the inadequate inclusion of CI in the generation of our wavefunctions. Therefore, to explore this limitation we have undertaken a series of calculations with the FAC code, which we discuss below.

We have performed several sets of calculations with differing amount of CI, specifically the following five: (i) FAC1: 1334 levels among the $3d^6$, $3d^54\ell$, $3p^53d^7$, $3p^43d^8$, $3p^33d^9$, and $3p^23d^{10}$ configurations, (ii) FAC2: 21 992 levels of the $3d^6$, $3d^54\ell$, $3d^55\ell$, $3p^63d^44\ell4\ell'$, $3p^53d^7$, and $3p^43d^74\ell$ configurations, (iii) FAC3: including an additional 37 198 (total 59 190) levels of the $3p^43d^8$, $3p^33d^9$, $3p^23d^{10}$, $3p^63d^45\ell5\ell'$, and $3p^43d^75\ell$ configurations, (iv) FAC4: including a further 12 338 (total 71 528) levels of the $3p^53d^64\ell$ and $3p^53d^65\ell$ configurations, and finally (v) FAC5: 76 138 levels which include the additional 4610 levels of the $3p^33d^84\ell$, $3p^23d^94\ell$ and $3p3d^{10}4\ell$ configurations. Further inclusion of additional CI was not considered because the energies have now *converged*, i.e. the differences between the FAC4 and FAC5 energies and their level orderings are negligible. Therefore, energies obtained with our final FAC5 calculations/configurations are also provided in Table A.

Unfortunately, significant discrepancies with the NIST listings remain for a majority of the levels, in both energies (up to 35%) and their orderings - see for example, level 33, i.e. $3d^5(^6S)4s\ ^7S_3$. Although the NIST energies are based on measurements of only 9 levels among the lines of the $3d^6\ ^5D - 3d^5(^6S)4p\ ^5P^o$ multiplet, the discrepancies between theory and experiment are too large. Moreover, no systematic improvement over the theoretical energies is observed, as may be seen in Table A. For most levels the FAC energies became closer to those of NIST (see levels 2/3 and 10/11) but became worse for others, particularly for 33. These large discrepancies have prompted us to try a different approach with much more extensive CI than considered so far. This is because the different approach has been highly successful for some ions in reproducing theoretical energies closer to measurements, as demonstrated by Jönsson et al. [37] for B-like O IV and Froese Fischer [38] for Br-like W XL. For example, Jönsson et al. included over 800 000 and 1 000 000 CSFs (configuration state functions) for the even and odd states of O IV to determine the $n \leq 3$ energy levels to within 0.25% of the measurements. Additionally, the necessity of including a much more extensive CI became apparent with the recent calculations of Ong et al. [23] for Ni V. They considered up to $n = 12$ ($\ell \leq 3$) configurations for their calculations, although concluded that up to $n = 5$ configurations produce comparatively more accurate results.

In our QRHF calculations of energy for the levels of the $3d^6$, $3d^54s$ and $3d^54p$ configurations, radial orbitals (RO) for the adjusted configuration electrons are determined by the way of solutions of quasi-relativistic Hartree-Fock equations [30, 31]. For the CI wavefunction expansion, we supplement this RO basis with the transformed radial orbitals (TRO) with principal quantum number $5 \leq n \leq 8$ and all possible values of the orbital quantum number ℓ . These TRO are constructed in a way to ensure the maximum of correlation corrections [39, 40]. We use the same basis of the orthogonal RO both for the even and the odd configurations. This helps us to overcome the issue of non-orthogonality when line strengths for the electric dipole and higher-multipole-order transitions between the configurations of different parity are calculated.

Unfortunately, the chosen type of RO requires a considerably large CI basis when calculating the energy spectra. The relativistic effects are included in the Breit-Pauli approximation adapted for the quasi-relativistic RO, see Bogdanovich and Rancova [40]. We consider the virtual one- and two-electron excitations from all $3\ell^N$ and 4ℓ shells of the investigated configurations. This leads to more than 1000 configurations, both the even and the odd ones in the basis of the determined RO. For these configurations, the number of CSFs exceed 10^9 . To reduce the size of the calculations, we select only those admixed configurations that have the largest contributions to the CI wavefunction of the adjusted configuration. This contribution is assessed in the second order of many-body perturbation theory [41]. Following this method, we have selected 568 even and 310 odd configurations, and the corresponding numbers of CSF for these are 4 110 279 and 7 412 922, respectively. After the CSF-reduction procedure (for details see Bogdanovich et al. [42]), the corresponding numbers are 656 832 and 907 014. These CSF bases are sufficient for further calculations, and have been employed to determine the Co IV and Ni V data presented here.

The energies obtained with the QRHF calculations are also listed in Table A for Co IV, and it is clear that these are much closer to the NIST values. The maximum discrepancy between theoretical and experimental energies for any level is 3%, which is highly satisfactory considering the complexity of the Co IV ion. In fact, energies obtained for most levels higher than those listed in Table A are comparatively in better agreement with those of NIST. This may be seen from Table 1, in which energies for the lowest 322 levels belonging to the $3d^6$, $3d^54s$ and $3d^54p$ configurations of Co IV are listed. The percentage differences with the NIST energies are less than 1% for the excited configurations $3d^54s$ and $3d^54p$,

and less than 3% for the ground configuration $3d^6$. In this table we also list the percentage difference with the NIST energies, and note that the mean of the absolute values for all levels given in the NIST database is only 0.60%. Finally, we note that the LSJ designations listed in the table are not definitive and are only for guidance. This is because many levels are affected by configuration mixing and hence their description using just a LSJ notation cannot be unambiguous in all cases. All such levels are shown in **bold faces**. This situation arises as our code assigns level notation by the maximum percentage contribution for the particular level CI wavefunction expansion, leading to some levels having the same identification. For example, see levels 121 and 126 which have the same CSF designation, i.e. $3d^5(\frac{4}{5}G)4p\ ^5F_3^\circ$. A similar situation arises for the pairs of levels 154/158, 192/213, 214/217, 221/252, 234/255, and 236/256. The NIST database employs double-level notation in such cases. This is a common problem among all calculations, particularly for those ions whose levels highly intermix, such as Co IV and Co XI [9].

NIST energy orderings are different only in a few instances, such as for levels 11/12 and 39–41, and the discrepancies in energies between these levels are very small. The configurations investigated considered in the present work ($3d^6$, $3d^54s$ and $3d^54p$) produce 322 energy levels in total, while the NIST database gives only the energies for 296 LSJ levels. That means that we have predicted energies for 26 levels and determined *ab initio* values for the complete set of the configurations $3d^6$, $3d^54s$ and $3d^54p$. As the discrepancies between our results and those of NIST are generally less than 0.5%, we can safely assume this to be the accuracy of our calculations for the additional 26 levels.

Energies for a few levels (missing from the NIST listings) of the $3d^54s$ and $3d^54p$ configurations have been predicted by van het Hof et al. [18] and Uylings et al. [19]. Their calculations are based on a least-square fitting of Slater-Condon parameters for the measured results for other levels. In Table B we compare our data with their predictions for Co IV. Generally, our energies for the $3d^54s$ levels are higher whereas for $3d^54p$ are lower. However, all differences are less than 1% and hence there is no significant discrepancy. Furthermore, we note that the calculated energies of [18] for the $3d^54s\ ^5D$ levels differ between -5.2% and 3.9% with those of NIST (see their Table XII), whereas our *ab initio* energies agree within 3% for all levels. Therefore, based on this comparison and that in Table A, we can confidently state that our calculated energies for all levels of Co IV should be accurate to better than 3%.

Our calculated energies for the levels of Ni V are listed in Table 2 along with those of NIST and Ong et al. [23]. NIST compilations are available for most of the levels and differences with our calculations are below 3%. As for Co IV, significant discrepancies in magnitudes are only for the levels of the $3d^6$ configuration (1–34), and for the higher ones the agreement is actually better than 1%. Similarly, the energies of Ong et al., available for only 131 levels, also agree within 2% with the NIST compilations – see for example levels 35–36, 99–106, and particularly 180–182, i.e. the level orderings of Ong et al. [23] also differ with those of NIST in a few instances. Nevertheless, for the *common* levels our calculations are comparatively closer to those of NIST, in both magnitudes and orderings. This may be partly due to the adoption of different approaches in the calculations, and partly due to the comparatively larger CI included in our work. Anyway, the noted discrepancies are still minor. Finally, in Table C we compare our energies with those of van het Hof et al. [18] and Uylings et al. [19], possible for only a few levels. The (dis)agreements between these and our calculations are similar to those for the levels of Co IV, seen in Table B.

3. Radiative rates

To our knowledge, no A -values are available in the literature for transitions in Co IV and Ni V. Therefore, in Table 3 we list energies/wavelengths (λ , Å), radiative rates (A -values, s⁻¹), oscillator strengths (f , dimensionless), and transition line strengths (S -values in atomic unit) for the E1 (electric dipole) transitions of Co IV from the lowest 36 (which include all levels of the 3d⁶ ground configuration – see Table 1) to higher excited levels. Similar results for Ni V are listed in Table 4 and full tables are available online in the electronic version. For the E2 (electric quadrupole) and M1 (magnetic dipole) transitions only A -values are listed, because these are related to the f -values through the following expression, common for all types of transition:

$$f_{ij} = \frac{mc}{8\pi^2 e^2} \lambda_{ji}^2 \frac{\omega_j}{\omega_i} A_{ji} = 1.49 \times 10^{-16} \lambda_{ji}^2 (\omega_j / \omega_i) A_{ji} \quad (1)$$

where m and e are the electron mass and charge, respectively, c the velocity of light, λ_{ji} the transition wavelength in Å, and ω_i and ω_j the statistical weights of the lower (i) and upper (j) levels, respectively. Similarly, A_{ij} and f_{ij} are related to the line strength S (in atomic unit, 1 a.u. = 6.460 × 10⁻³⁶ cm² esu²) by the following standard equations:

for the E1 transitions:

$$A_{ji} = \frac{2.0261 \times 10^{18}}{\omega_j \lambda_{ji}^3} S \quad \text{and} \quad f_{ij} = \frac{303.75}{\lambda_{ji}^3 \omega_i} S, \quad (2)$$

for the E2 transitions:

$$A_{ji} = \frac{1.1199 \times 10^{18}}{\omega_j \lambda_{ji}^5} S \quad \text{and} \quad f_{ij} = \frac{167.89}{\lambda_{ji}^3 \omega_i} S, \quad (3)$$

and for the M1 transitions:

$$A_{ji} = \frac{2.6974 \times 10^{13}}{\omega_j \lambda_{ji}^3} S \quad \text{and} \quad f_{ij} = \frac{4.044 \times 10^{-3}}{\lambda_{ji} \omega_i} S. \quad (4)$$

For many transitions the f -values are very small, i.e. the transitions are weak and hence are likely not to make a significant contribution in plasma modelling applications. For this reason, and to save space, only those transitions are listed in Tables 3 and 4 which have magnitudes $\geq 2\%$ of the largest A -value for any type. Similarly, A -values for magnetic quadrupole (M2) and electric octupole (E3) transitions are not included in Tables 3 and 4. However, all A -values (in ASCII format) can be electronically obtained on request from K.Aggarwal@qub.ac.uk. Additionally, the level energies and the radiative transition parameters determined in the QRHF approximation can be found in the ADAMANT database (<http://www.adamant.tfai.vu.lt/database>) at Vilnius University.

In the absence of other calculations it is difficult to assess the accuracy of our A -values. However, based on the accuracy of our calculated energy levels and our experience for a range of ions, we have confidence in our data. Furthermore, in Tables 5 and 6 we list λ and f -values for all *strong* E1 transitions of Co IV and Ni V, i.e. those having $f \geq 0.10$. Such comparatively strong transitions generally do not vary with varying amount of CI, and therefore we encourage other workers to perform independent calculations to assess the accuracy of our data.

4. Lifetimes

The lifetime τ of a level j is defined as:

$$\tau_j = \frac{1}{\sum_i A_{ji}} \quad (5)$$

where the sum is over all possible radiative decay channels $i < j$ and for all calculated transition types. As for the A -values, to our knowledge there are no existing theoretical or experimental results for τ . Nevertheless, in Tables 1 and 2 we have included our values of τ for all levels and the calculations include contributions from *all* types of transition, i.e. E1, E2 and M1. These results will hopefully be useful for future comparisons and/or to further assess the accuracy of our calculations.

5. Conclusions

In this paper we have presented results for energy levels and radiative rates for transitions of Co IV and Ni V belonging to all 322 levels of the $3d^6$, $3d^54s$ and $3d^54p$ configurations. To our knowledge, there are no available results in the literature for A -values for comparison purposes. However, energy levels are available, partly from measurements and mostly from analytical expressions and the other theoretical work for Ni V. We have performed several sets of calculations with three independent atomic structure codes, namely GRASP, FAC and QRHF, with increasing amount of CI. It is noted that CI is very important for Cr-like ions in spite of Co and Ni being moderately heavy. Our final results for all levels, obtained with the QRHF code, agree within 3% with the NIST listings and there is no (significant) discrepancy in the level orderings. It should also be stressed that the level of CI included in the calculations was necessitated by the availability of measured energy levels, otherwise results obtained would have been highly inaccurate. We hope the present data will be highly useful for the modelling of plasmas.

Acknowledgments

The work at QUB has been partially funded by AWE Aldermaston and in Romania from the Euratom research and training programme 2014-2018 under grant agreement No 633053 complementary research. The dissemination of results reflects only the authors' views and the Commission is not responsible for any use that may be made of the information it contains. Financial support under the Romanian Space Agency coordinated program STAR Project Number 33 is also acknowledged. P B, R K and R K's research is funded by the European Social Fund under the Global Grant measure, project VP1-3.1-ŠMM-07-K-02-013. Finally, we thank an anonymous referee who made us aware of the recent calculations by Ong et al. [23] for the energy levels of Ni V.

Appendix A. Supplementary data

Owing to space limitations, only parts of Tables 3 and 4 are presented here, the full tables being made available as supplemental material in conjunction with the electronic publication of this work. Supplementary data associated with this article can be found, in the online version, at doi:nn.nnnn/j.adt.2016.nn.nnn.

References

- [1] K.M. Aggarwal, K. Hamada, A. Igarashi, V. Jonauskas, F.P. Keenan, S. Nakazaki, *Astron. Astrophys.* 484 (2008) 879.
- [2] K.M. Aggarwal, F.P. Keenan, *Astron. Astrophys.* 488 (2008) 365.
- [3] K.M. Aggarwal, F.P. Keenan, *Phys. Scr.* 86 (2012) 035302.
- [4] K.M. Aggarwal, F.P. Keenan, *At. Data Nucl. Data Tables* 98 (2012) 1003.
- [5] K. Hamada, K.M. Aggarwal, K. Akita, A. Igarashi, F.P. Keenan, S. Nakazaki, *At. Data Nucl. Data Tables* 96 (2010) 481.
- [6] K.M. Aggarwal, F.P. Keenan, *Phys. Scr.* 87 (2013) 055302.
- [7] G.A. Warren, F.P. Keenan, E.S. Conlon, K.M. Aggarwal, *Phys. Scr.* 49 (1994) 91.
- [8] K.M. Aggarwal, V. Tayal, G.P. Gupta, F.P. Keenan, *At. Data Nucl. Data Tables* 93 (2007) 615.
- [9] K.M. Aggarwal, F.P. Keenan, A.Z. Msezane, *Astron. Astrophys.* 473 (2007) 995.
- [10] K.M. Aggarwal, F.P. Keenan, *Astron. Astrophys.* 475 (2007) 393.
- [11] K.M. Aggarwal, F.P. Keenan, A.Z. Msezane, *At. Data Nucl. Data Tables* 85 (2003) 453.
- [12] R.L. Kelly, *J. Phys. Chem. Ref. Data* 16 (1987) Supl. 1
- [13] A.J.J. Raassen, J.E. Hansen, *Astrophys. J.* 243 (1981) 217.
- [14] S.P. Preval, M.A. Barstow, J.B. Holberg, N.J. Dickinson, *Month. Not. R. Astron. Soc.* 436 (2013) 659.
- [15] R. Poppe, Th.A.M. van Kleef, A.J.J. Raassen, *Physica* 77 (1974) 165.
- [16] J. Sugar, C. Corliss, *J. Phys. Chem. Ref. Data* 14 (1985) Suppl. 2.
- [17] A. Kramida, Yu. Ralchenko, J. Reader, NIST ASD Team, 2015 NIST Atomic Spectra Database (ver. 5.2), online at <http://physics.nist.gov/asd>
- [18] G.J. van het Hof, A.J.J. Raassen, P.H.M. Uylings, *Phys. Scr.* 44 (1991) 343.
- [19] P.H.M. Uylings, A.J.J. Raassen, *Phys. Scr.* 54 (1996) 505.
- [20] V. Stancalie, *Phys. Scr.* 83 (2011) 025301.
- [21] A. Hibbert, *Comput. Phys. Commun.* 9 (1974) 141.
- [22] A.E. Kingston, S.N. Tiwary, A. Hibbert, *J. Phys. B* 20 (1987) 3907.
- [23] A. Ong, J.C. Berengut, V.V. Flambaum, *Phy. Rev. A* 88 (2013) 052517.
- [24] I.P. Grant, B.J. McKenzie, P.H. Norrington, D.F. Mayers, N.C. Pyper, *Comput. Phys. Commun.* 21 (1980) 207.
- [25] F.A. Parpia, C. Froese Fischer, I.P. Grant, *Comput. Phys. Commun.* 94 (1996) 249.
- [26] P. Jönsson, X. He, C. Froese Fischer, I.P. Grant, *Comput. Phys. Commun.* 177 (2007) 597.
- [27] P. Jönsson, G. Gaigalas, J. Bieroń, C.F. Fischer, I.P. Grant, *Comput. Phys. Commun.* 184 (2013) 2197.
- [28] M.F. Gu, *Can. J. Phys.* 86 (2008) 675.

- [29] R.D. Cowan, 1981, *The theory of atomic structure and spectra*, Univ. of California press
- [30] P. Bogdanovich, O. Rancova, Phys. Rev. A74 (2006) 052501.
- [31] P. Bogdanovich, O. Rancova, Phys. Rev. A76 (2007) 012507.
- [32] A. Hibbert, R. Glass, C. Froese Fischer, Comput. Phys. Commun. 64 (1991) 445.
- [33] C. Froese Fischer, M.R. Godefroid, A. Hibbert, Comput. Phys. Commun. 64(1991) 486.
- [34] C. Froese Fischer, M.R. Godefroid, Comput. Phys. Commun. 64 (1991) 501.
- [35] P. Bogdanovich, R. Kisielius, At. Data Nucl. Data Tables 98 (2012) 557.
- [36] R. Kisielius, V.P. Kulkarni, G.J. Ferland, P. Bogdanovich, M.L. Lykins, Astrophys. J. 780 (2014) 76.
- [37] P. Jönsson, G. Godefroid, G. Gaigalas, J. Bieroń, T. Brage, Am. Inst. Phys. Proc. 1545 (2013) 266.
- [38] C. Froese Fischer, Atoms 2 (2014) 1.
- [39] P. Bogdanovich, R. Karpušienė, Lithuan. J. Phys. 39 (1999) 193.
- [40] P. Bogdanovich, O. Rancova, Phys. Scr. 78 (2008) 045301.
- [41] P. Bogdanovich, R. Karpušienė, A. Momkauskaitė, Comput. Phys. Commun. 172 (2005) 133.
- [42] P. Bogdanovich, R. Karpušienė, A. Momkauskaitė, Comput. Phys. Commun. 143 (2002) 174.

Table AComparison of energies (in cm^{-1}) for the lowest 33 levels of Co IV.

Index	Configuration/Level	NIST	GRASP	FAC	QRHF
1	$3d^6 \frac{5}{4}D_4$	0.0	0	0	0
2	$3d^6 \frac{5}{4}D_3$	639.1	562	606	636
3	$3d^6 \frac{5}{4}D_2$	1077.7	956	1022	1076
4	$3d^6 \frac{5}{4}D_1$	1357.3	1209	1287	1358
5	$3d^6 \frac{5}{4}D_0$	1493.6	1333	1416	1496
6	$3d^6 \frac{3}{4}P_2$	22883.3	29081	24427	23613
7	$3d^6 \frac{3}{4}H_6$	23679.5	26414	27126	24357
8	$3d^6 \frac{3}{4}H_5$	24031.8	26753	27457	24717
9	$3d^6 \frac{3}{4}H_4$	24272.0	27008	27468	24975
10	$3d^6 \frac{3}{4}P_1$	24729.2	30715	26197	25379
11	$3d^6 \frac{3}{4}P_0$	25448.7	31378	26863	26151
12	$3d^6 \frac{3}{4}F_4$	25396.0	30270	27890	26081
13	$3d^6 \frac{3}{4}F_3$	25735.9	30592	27999	26490
14	$3d^6 \frac{3}{4}F_2$	25969.0	30819	28231	26721
15	$3d^6 \frac{3}{4}G_5$	29021.8	33282	32378	29830
16	$3d^6 \frac{3}{4}G_4$	29592.2	33813	32891	30399
17	$3d^6 \frac{3}{4}G_3$	29867.5	34080	33160	30687
18	$3d^6 \frac{1}{4}I_6$	35942.7	39747	40844	36999
19	$3d^6 \frac{3}{4}D_2$	36348.0	42787	39600	37435
20	$3d^6 \frac{3}{4}D_1$	36382.0	42778	39612	37467
21	$3d^6 \frac{3}{4}D_3$	36554.5	42939	39791	37613
22	$3d^6 \frac{3}{4}G_4$	36683.3	42130	38839	37727
23	$3d^6 \frac{1}{4}S_0$	41441.9	48782	41549	42693
24	$3d^6 \frac{1}{4}D_2$	42341.8	52248	47274	43577
25	$3d^6 \frac{1}{4}F_3$	50630.1	60097	56308	52124
26	$3d^6 \frac{3}{4}P_0$	58320.6	69566	63400	60380
27	$3d^6 \frac{3}{4}P_1$	58919.8	70113	64000	60930
28	$3d^6 \frac{3}{4}F_2$	59748.9	69869	65151	61734
29	$3d^6 \frac{3}{4}F_4$	59838.2	69966	64712	61739
30	$3d^6 \frac{3}{4}F_3$	59902.8	69996	64725	61834
31	$3d^6 \frac{3}{4}P_2$	60098.4	71167	64545	62006
32	$3d^6 \frac{1}{4}G_4$	67907.0	79426	74469	70057
33	$3d^5 \frac{6}{5}S)4s \ ^7S_3$	90554.4	71035	59639	88117

NIST: <http://www.nist.gov/pml/data/asd.cfm>

GRASP: 14 732 level calculations with the GRASP code

FAC: 76 138 level calculations with the FAC code

QRHF: 1 563 846 level calculations with the QRHF code

Table BComparison of theoretical energies (in cm^{-1}) for the $3d^5 4s$ and $3d^5 4p$ levels of Co IV.

Index ^a	Configuration/Level	Present	Earlier ^b
55	$3d^5 \frac{4}{3}P)4s \ ^3P_0$	140554	141238
64	$3d^5 \frac{2}{5}D)4s \ ^3D_1$	150602	151202
70	$3d^5 \frac{4}{3}F)4s \ ^5F_1$	152090	152844
87	$3d^5 \frac{4}{3}F)4s \ ^3F_3$	160219	160433
91	$3d^5 \frac{2}{5}F)4s \ ^3F_2$	163283	163789
98	$3d^5 \frac{5}{5}S)4s \ ^1S_0$	173942	173968
99	$3d^5 \frac{2}{3}D)4s \ ^3D_1$	178332	178380
117	$3d^5 \frac{4}{3}P)4p \ ^5D_0^o$	195340	195562.2
271	$3d^5 \frac{2}{5}S)4p \ ^3P_0^o$	233747	232730.5
301	$3d^5 \frac{2}{3}P)4p \ ^3P_0^o$	268904	267271.7
304	$3d^5 \frac{2}{3}P)4p \ ^1S_0^o$	272355	270879.8
319	$3d^5 \frac{2}{1}D)4p \ ^3P_1^o$	289735	287698.9
320	$3d^5 \frac{2}{1}D)4p \ ^3P_0^o$	290083	288081.3
322	$3d^5 \frac{2}{1}D)4p \ ^1P_1^o$	295845	292881.3

^a: see Table 1^b: energies for the $3d^5 4s$ levels are of van het Hof et al. [18] and for $3d^5 4p$ are of Uylings et al. [19]

Table CComparison of theoretical energies (in cm^{-1}) for the $3d^5 4s$ and $3d^5 4p$ levels of Ni V.

Index ^a	Configuration/Level	Present	Earlier ^b
55	$3d^5(4P)4s\ ^3P_0$	221924	221693
98	$3d^5(2S)4s\ ^1S_0$	259591	258454
153	$3d^5(3P)4s\ ^3P_2$	297781	296114
154	$3d^5(3P)4s\ ^3P_1$	297821	296157
155	$3d^5(3P)4s\ ^3P_0$	297848	296187
168	$3d^5(3P)4s\ ^1P_0$	302675	300587
116	$3d^5(4P)4p\ ^5D_0^o$	287705	287776.7
304	$3d^5(3P)4p\ ^1S_0^o$	374539	373086.6
319	$3d^5(1D)4p\ ^3P_1^o$	394868	393054.9
321	$3d^5(1D)4p\ ^3P_0^o$	395370	393602.5
322	$3d^5(1D)4p\ ^1P_1^o$	401752	399195.4

a: see Table 2*b*: energies for the $3d^5 4s$ levels are of van het Hof et al. [18] and for $3d^5 4p$ are of Uylings et al. [19]

Explanation of Tables

Table 1. Energies (in cm^{-1}) and lifetimes (τ , s) for the levels of Co IV.

Index	Level Index
Configuration	The configuration to which the level belongs
Level	The LSJ designation of the level
NIST	Energies compiled by NIST and available at http://www.nist.gov/pml/data/asd.cfm
QRHF	Present energies from the QRHF code with 1 563 846 level calculations
δE	$= 100\%(E_{\text{QRHF}} - E_{\text{NIST}})/E_{\text{NIST}}$ is a relative percentage deviation
τ (s)	Lifetime of the level in s
$a \pm b$	$\equiv a \times 10^{\pm b}$

Table 2. Energies (in cm^{-1}) and lifetimes (τ , s) for the levels of Ni V.

Index	Level Index
Configuration	The configuration to which the level belongs
Level	The LSJ designation of the level
NIST	Energies compiled by NIST and available at http://www.nist.gov/pml/data/asd.cfm
QRHF	Present energies from the QRHF code with 1 563 846 level calculations
CI+MBPT	Earlier calculations of Ong et al. [23]
δE	$= 100\%(E_{\text{QRHF}} - E_{\text{NIST}})/E_{\text{NIST}}$ is a relative percentage deviation
τ (s)	Lifetime of the level in s
$a \pm b$	$\equiv a \times 10^{\pm b}$

Table 3. Transition wavelengths in vacuum (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij} , dimensionless), and line strengths (S , in atomic units) for electric dipole (E1), and A_{ji} for electric quadrupole (E2) and magnetic dipole (M1) transitions of Co IV.

i and j	The lower (i) and upper (j) levels of a transition as defined in Table 1.
λ_{ij}	Transition wavelength (in Å)
A_{ji}^{E1}	Radiative transition probability (in s^{-1}) for the E1 transitions
f_{ij}^{E1}	Absorption oscillator strength (dimensionless) for the E1 transitions
S^{E1}	Line strength in atomic unit (a.u.), 1 a.u. = $6.460 \times 10^{-36} \text{ cm}^2 \text{ esu}^2$ for the E1 transitions
A_{ji}^{E2}	Radiative transition probability (in s^{-1}) for the E2 transitions
A_{ji}^{M1}	Radiative transition probability (in s^{-1}) for the M1 transitions
$a \pm b$	$\equiv a \times 10^{\pm b}$

Table 4. Transition wavelengths in vacuum (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij} , dimensionless), and line strengths (S , in atomic units) for electric dipole (E1), and A_{ji} for electric quadrupole (E2) and magnetic dipole (M1) transitions of Ni V.

i and j	The lower (i) and upper (j) levels of a transition as defined in Table 2.
λ_{ij}	Transition wavelength (in Å)
A_{ji}^{E1}	Radiative transition probability (in s^{-1}) for the E1 transitions
f_{ij}^{E1}	Absorption oscillator strength (dimensionless) for the E1 transitions
S^{E1}	Line strength in atomic unit (a.u.), 1 a.u. = $6.460 \times 10^{-36} \text{ cm}^2 \text{ esu}^2$ for the E1 transitions
A_{ji}^{E2}	Radiative transition probability (in s^{-1}) for the E2 transitions
A_{ji}^{M1}	Radiative transition probability (in s^{-1}) for the M1 transitions
$a \pm b$	$\equiv a \times 10^{\pm b}$

Table 5. Radiative transition wavelengths (λ_{ij} in Å) and oscillator strengths (f_{ij} , dimensionless) for all strong E1 transitions of Co IV.

i and j	The lower (i) and upper (j) levels of a transition as defined in Table 1.
λ_{ij}	Transition wavelength (in Å)
f_{ij}	Absorption oscillator strength (dimensionless) for the E1 transitions

Table 6. Radiative transition wavelengths (λ_{ij} in Å) and oscillator strengths (f_{ij} , dimensionless) for all strong E1 transitions of Ni V.

i and j	The lower (i) and upper (j) levels of a transition as defined in Table 1.
λ_{ij}	Transition wavelength (in Å)
f_{ij}	Absorption oscillator strength (dimensionless) for the E1 transitions

Table 1Energies (in cm^{-1}) and lifetimes (τ , s) for the levels of Co IV. $a \pm b \equiv a \times 10^{\pm b}$. See page 13 for Explanation of Tables

Index ^c	Configuration	Level	NIST	QRHF	δE	τ (s)
1	3d ⁶	⁵ D ₄	0.0	0	0	
2	3d ⁶	⁵ D ₃	639.1	636	-0.49	1.130+02
3	3d ⁶	⁵ D ₂	1077.7	1076	-0.16	1.828+02
4	3d ⁶	⁵ D ₁	1357.3	1358	0.05	4.777+02
5	3d ⁶	⁵ D ₀	1493.6	1496	0.16	2.383+03
6	3d ⁶	³ P ₂	22883.3	23613	3.19	9.484-01
7	3d ⁶	³ H ₆	23679.5	24357	2.86	8.668+04
8	3d ⁶	³ H ₅	24031.8	24717	2.85	8.037+02
9	3d ⁶	³ H ₄	24272.0	24975	2.90	3.419+01
10	3d ⁶	³ P ₁	24729.2	25379	2.63	6.540-01
11	3d ⁶	³ P ₀	25448.7	26081	2.48	6.436-01
12	3d ⁶	³ F ₄	25396.0	26151	2.97	8.612-01
13	3d ⁶	³ F ₃	25735.9	26490	2.93	1.240-00
14	3d ⁶	³ F ₂	25969.0	26721	2.90	2.730-00
15	3d ⁶	³ G ₅	29021.8	29830	2.78	5.956-00
16	3d ⁶	³ G ₄	29592.2	30399	2.73	7.269-00
17	3d ⁶	³ G ₃	29867.5	30687	2.74	4.939-00
18	3d ⁶	³ I ₆	35942.7	36999	2.94	3.218-00
19	3d ⁶	³ D ₂	36348.0	37435	2.99	1.614-00
20	3d ⁶	³ D ₁	36382.0	37467	2.98	1.277-00
21	3d ⁶	³ D ₃	36554.5	37613	2.90	1.152-00
22	3d ⁶	³ G ₄	36683.3	37727	2.85	8.219-01
23	3d ⁶	¹ S ₀	41441.9	42693	3.02	3.795-01
24	3d ⁶	³ D ₂	42341.8	43577	2.92	8.412-01
25	3d ⁶	³ F ₃	50630.1	52124	2.95	1.664-00
26	3d ⁶	³ P ₀	58320.6	60380	3.53	2.608-01
27	3d ⁶	³ P ₁	58919.8	60930	3.41	2.516-01
28	3d ⁶	³ F ₂	59748.8	61734	3.32	1.553-01
29	3d ⁶	³ F ₄	59838.2	61739	3.18	1.466-01
30	3d ⁶	³ F ₃	59902.8	61834	3.22	1.541-01
31	3d ⁶	³ P ₂	60098.4	62006	3.17	2.769-01
32	3d ⁶	³ G ₄	67907.0	70057	3.17	2.124-01
33	3d ⁵ (⁶ S)4s	⁷ S ₃	90554.4	88117	-2.69	5.416-00
34	3d ⁵ (⁶ S)4s	¹ D ₂	91218.4	94027	3.08	2.846-02
35	3d ⁵ (⁶ S)4s	⁵ S ₂	102773.9	101302	-1.43	3.459-04
36	3d ⁶	¹ S ₄		121014		1.768-02
37	3d ⁵ (⁴ G)4s	⁵ G ₆	129134.0	127843	-1.00	6.906-04
38	3d ⁵ (⁴ G)4s	⁵ G ₅	129195.2	127901	-1.00	7.018-04
39	3d ⁵ (⁴ G)4s	⁵ G ₄	129223.7	127933	-1.00	7.111-04
40	3d ⁵ (⁴ G)4s	⁵ G ₃	129228.7	127947	-0.99	7.186-04
41	3d ⁵ (⁴ G)4s	⁵ G ₂	129222.2	127951	-0.98	7.243-04
42	3d ⁵ (⁴ P)4s	⁵ P ₃	132729.1	131655	-0.81	5.943-04
43	3d ⁵ (⁴ P)4s	⁵ P ₂	132828.7	131739	-0.82	5.997-04
44	3d ⁵ (⁴ P)4s	⁵ P ₁	132952.6	131841	-0.84	6.033-04
45	3d ⁵ (⁴ D)4s	⁵ D ₄	136362.9	135145	-0.89	5.405-04
46	3d ⁵ (⁴ D)4s	⁵ D ₀	136399.9	135244	-0.85	5.507-04
47	3d ⁵ (⁴ D)4s	⁵ D ₁	136519.1	135298	-0.89	5.500-04
48	3d ⁵ (⁴ D)4s	⁵ D ₃	136612.5	135351	-0.92	5.457-04
49	3d ⁵ (⁴ D)4s	⁵ D ₂	136611.2	135361	-0.92	5.485-04
50	3d ⁵ (⁴ G)4s	³ G ₅	137280.9	136450	-0.61	2.945-04
51	3d ⁵ (⁴ G)4s	³ G ₄	137336.4	136514	-0.60	2.942-04
52	3d ⁵ (⁴ G)4s	³ G ₃	137325.6	136527	-0.58	2.939-04
53	3d ⁵ (⁴ P)4s	³ P ₂	140863.5	140262	-0.43	2.663-04
54	3d ⁵ (⁴ P)4s	³ P ₁	141076.0	140431	-0.46	2.659-04
55	3d ⁵ (⁴ P)4s	³ P ₀		140554		2.657-04
56	3d ⁵ (⁴ D)4s	³ D ₃	144509.6	143868	-0.44	2.618-04
57	3d ⁵ (⁴ D)4s	³ D ₁	144720.3	144062	-0.45	2.654-04
58	3d ⁵ (⁴ D)4s	³ D ₂	144764.2	144080	-0.47	2.639-04
59	3d ⁵ (² I)4s	³ I ₇	148106.0	147363	-0.50	4.360-04
60	3d ⁵ (² I)4s	³ I ₆	148098.1	147367	-0.49	4.447-04
61	3d ⁵ (² I)4s	³ I ₅	148105.5	147383	-0.49	4.520-04
62	3d ⁵ (² D)4s	³ D ₃	150970.9	150396	-0.38	3.951-04
63	3d ⁵ (² D)4s	³ D ₂	151040.6	150458	-0.39	3.887-04
64	3d ⁵ (² D)4s	³ D ₁		150602		3.748-04
65	3d ⁵ (⁴ F)4s	⁵ F ₅	152126.2	151472	-0.43	2.943-04
66	3d ⁵ (⁴ F)4s	⁵ F ₄	152161.1	151532	-0.41	2.982-04
67	3d ⁵ (² I)4s	¹ I ₆	152113.3	151571	-0.36	3.032-04

Table 1 (continued)

Index ^c	Configuration	Level	NIST	QRHF	δE	τ (s)
68	$3d^5(4F)4s$	$5F_3$	152264.2	151638	-0.41	3.048-04
69	$3d^5(4F)4s$	$5F_2$	152351.4	151772	-0.38	3.153-04
70	$3d^5(4F)4s$	$5F_1$		152090		3.264-04
71	$3d^5(3F)4s$	$3F_4$	153265.3	152581	-0.45	3.708-04
72	$3d^5(3F)4s$	$3F_2$	153524.9	152824	-0.46	3.693-04
73	$3d^5(3F)4s$	$3F_3$	154012.2	153186	-0.54	3.780-04
74	$3d^5(6S)4p$	$7P_2^o$	155743.6	154259	-0.95	1.199-09
75	$3d^5(6S)4p$	$7P_3^o$	156272.8	154756	-0.97	1.169-09
76	$3d^5(6S)4p$	$7P_4^o$	157123.7	155540	-1.01	1.136-09
77	$3d^5(2D)4s$	$1D_2$	156395.4	155783	-0.39	3.052-04
78	$3d^5(2F)4s$	$1F_3$	157513.1	157098	-0.26	2.924-04
79	$3d^5(2H)4s$	$3H_4$	158359.9	157871	-0.31	3.309-04
80	$3d^5(2H)4s$	$3H_5$	158423.4	157904	-0.33	3.285-04
81	$3d^5(2H)4s$	$3H_6$	158846.7	158224	-0.39	3.202-04
82	$3d^5(2G)4s$	$3G_3$	159482.3	158939	-0.34	3.370-04
83	$3d^5(2G)4s$	$3G_4$	159638.1	159078	-0.35	3.189-04
84	$3d^5(2G)4s$	$3G_5$	159851.5	159190	-0.41	3.322-04
85	$3d^5(4F)4s$	$3F_4$	160404.3	160126	-0.17	1.968-04
86	$3d^5(4F)4s$	$3F_2$	160351.4	160209	-0.09	2.159-04
87	$3d^5(4F)4s$	$3F_3$		160219		2.048-04
88	$3d^5(2H)4s$	$1H_5$	162889.0	162729	-0.10	2.401-04
89	$3d^5(2F)4s$	$3F_3$	163752.9	163261	-0.30	2.955-04
90	$3d^5(2F)4s$	$3F_4$	163870.6	163273	-0.27	3.045-04
91	$3d^5(2F)4s$	$3F_2$		163283		2.680-04
92	$3d^5(2G)4s$	$1G_4$	163717.9	163496	-0.23	2.639-04
93	$3d^5(6S)4p$	$5P_3^o$	164803.2	164327	-0.29	3.993-10
94	$3d^5(6S)4p$	$5P_2^o$	165226.2	164775	-0.27	4.020-10
95	$3d^5(6S)4p$	$5P_1^o$	165488.5	165054	-0.26	4.030-10
96	$3d^5(2F)4s$	$1F_3$	167856.5	167665	-0.11	2.281-04
97	$3d^5(2S)4s$	$3S_1$	169800.9	169767	-0.02	2.987-04
98	$3d^5(2S)4s$	$1S_0$		173942		1.909-04
99	$3d^5(2D)4s$	$3D_1$		178332		2.229-04
100	$3d^5(2D)4s$	$3D_2$	178396.5	178344	-0.03	2.222-04
101	$3d^5(2D)4s$	$3D_3$	178439.4	178370	-0.04	2.211-04
102	$3d^5(2D)4s$	$1D_2$	182501.4	182746	0.13	1.758-04
103	$3d^5(2G)4s$	$3G_5$	188138.4	188320	0.10	1.745-04
104	$3d^5(2G)4s$	$3G_4$	188164.4	188355	0.10	1.751-04
105	$3d^5(2G)4s$	$3G_3$	188179.4	188384	0.11	1.756-04
106	$3d^5(4G)4p$	$5G_2^o$	192352.8	191892	-0.24	1.306-09
107	$3d^5(4G)4p$	$5G_3^o$	192382.0	191908	-0.25	1.301-09
108	$3d^5(4G)4p$	$5G_4^o$	192424.3	191938	-0.25	1.294-09
109	$3d^5(4G)4p$	$5G_5^o$	192490.2	191989	-0.26	1.291-09
110	$3d^5(4G)4p$	$5G_6^o$	192600.3	192081	-0.27	1.312-09
111	$3d^5(2G)4s$	$1G_4$	192204.9	192719	0.27	1.503-04
112	$3d^5(4G)4p$	$5H_3^o$		193723		1.208-09
113	$3d^5(4G)4p$	$5H_4^o$	194351.6	193964	-0.20	1.181-09
114	$3d^5(4G)4p$	$5H_5^o$	194644.3	194231	-0.21	1.149-09
115	$3d^5(4G)4p$	$5H_6^o$	194958.0	194517	-0.23	1.169-09
116	$3d^5(4G)4p$	$5H_7^o$	195222.8	194780	-0.23	1.159-09
117	$3d^5(4P)4p$	$5D_0^o$		195340		1.346-09
118	$3d^5(4G)4p$	$5F_5^o$	195558.9	195357	-0.10	3.232-10
119	$3d^5(4P)4p$	$5D_1^o$	195703.1	195360	-0.18	1.131-09
120	$3d^5(4P)4p$	$5D_2^o$	195606.5	195421	-0.09	8.326-10
121	$3d^5(4G)4p$	$5F_3^o$	195712.4	195532	-0.09	5.313-10
122	$3d^5(4G)4p$	$5F_4^o$	195770.5	195563	-0.11	3.655-10
123	$3d^5(4P)4p$	$5S_2^o$	196846.6	196081	-0.39	1.123-09
124	$3d^5(4G)4p$	$5F_1^o$	196490.2	196253	-0.12	3.709-10
125	$3d^5(4G)4p$	$5F_2^o$	196550.2	196290	-0.13	4.131-10
126	$3d^5(4G)4p$	$5F_3^o$	196636.2	196387	-0.13	4.876-10
127	$3d^5(4P)4p$	$5D_4^o$	197322.8	196956	-0.19	9.086-10
128	$3d^5(4P)4p$	$5P_3$	198048.9	198103	0.03	2.562-10
129	$3d^5(4G)4p$	$3F_2^o$	198084.5	198152	0.03	5.143-10
130	$3d^5(4G)4p$	$3F_3^o$	198242.2	198289	0.02	4.769-10
131	$3d^5(4G)4p$	$3F_4^o$	198390.5	198431	0.02	4.979-10
132	$3d^5(4P)4p$	$5P_2^o$	198499.6	198520	0.01	2.500-10
133	$3d^5(4G)4p$	$3H_6^o$	198567.8	198647	0.04	6.750-10
134	$3d^5(4P)4p$	$5P_1^o$	198670.1	198671	0.00	2.535-10

Table 1 (continued)

Index ^c	Configuration	Level	NIST	QRHF	δE	τ (s)
135	$3d^5(4G)4p$	$^3H_5^o$	198890.9	198983	0.05	6.712–10
136	$3d^5(4G)4p$	$^3H_4^o$	199092.4	199211	0.06	6.695–10
137	$3d^5(4P)4p$	$^3P_2^o$	199817.3	199992	0.09	5.005–10
138	$3d^5(4P)4p$	$^3P_1^o$	200193.8	200339	0.07	5.041–10
139	$3d^5(4D)4p$	$^5F_1^o$	200723.5	200612	-0.06	6.289–10
140	$3d^5(4P)4p$	$^3P_0^o$	200506.1	200614	0.05	5.446–10
141	$3d^5(4D)4p$	$^5F_2^o$	200911.1	200765	-0.07	6.621–10
142	$3d^5(4D)4p$	$^5F_3^o$	201176.2	200991	-0.09	7.050–10
143	$3d^5(4D)4p$	$^5F_4^o$	201524.1	201290	-0.12	7.480–10
144	$3d^5(4D)4p$	$^5F_5^o$	201874.2	201618	-0.13	7.782–10
145	$3d^5(4D)4p$	$^5D_3^o$	202849.1	203154	0.15	4.177–10
146	$3d^5(4D)4p$	$^5D_2^o$	203370.3	203395	0.01	4.245–10
147	$3d^5(4D)4p$	$^5D_4^o$	202883.7	203404	0.26	3.336–10
148	$3d^5(4G)4p$	$^3G_3^o$	203059.0	203558	0.25	2.713–10
149	$3d^5(4G)4p$	$^3G_5^o$	202898.8	203566	0.33	2.625–10
150	$3d^5(4G)4p$	$^3G_4^o$	203398.0	203568	0.08	2.681–10
151	$3d^5(4D)4p$	$^5D_0^o$	203633.3	203637	0.00	4.695–10
152	$3d^5(4P)4p$	$^3D_3^o$	203560.6	203833	0.13	5.901–10
153	$3d^5(4D)4p$	$^5D_0^o$	204177.8	204014	-0.08	3.565–10
154	$3d^5(4P)4p$	$^3D_2^o$	203833.4	204126	0.14	5.879–10
155	$3d^5(4D)4p$	$^5P_1^o$	203972.8	204157	0.09	5.270–10
156	$3d^5(4P)4p$	$^3D_1^o$	204485.3	204687	0.10	4.308–10
157	$3d^5(4D)4p$	$^5P_3^o$	204845.1	204794	-0.02	6.271–10
158	$3d^5(4P)4p$	$^3D_2^o$	204792.8	204801	0.00	5.166–10
159	$3d^5(4D)4p$	$^3D_3^o$	205928.7	206180	0.12	4.053–10
160	$3d^5(4D)4p$	$^3D_2^o$	205999.7	206222	0.11	4.781–10
161	$3d^5(4D)4p$	$^3D_1^o$	206167.2	206342	0.08	5.851–10
162	$3d^5(4D)4p$	$^3F_4^o$	206648.3	206962	0.15	4.959–10
163	$3d^5(4D)4p$	$^3F_3^o$	206993.6	207280	0.14	5.124–10
164	$3d^5(4D)4p$	$^3F_2^o$	207052.6	207371	0.15	5.295–10
165	$3d^5(2P)4s$	$^3P_2$		207879		1.130–04
166	$3d^5(2P)4s$	$^3P_1$		207900		1.152–04
167	$3d^5(2P)4s$	$^3P_0$		207914		1.170–04
168	$3d^5(4P)4p$	$^3S_1^o$	208310.4	209442	0.54	1.973–10
169	$3d^5(4D)4p$	$^3P_0^o$	210392.2	211191	0.38	3.602–10
170	$3d^5(4D)4p$	$^3P_1^o$	210724.9	211451	0.34	3.600–10
171	$3d^5(5I)4p$	$^3K_6^o$	211275.3	211483	0.10	1.024–09
172	$3d^5(5I)4p$	$^3K_7^o$	211556.6	211738	0.09	9.346–10
173	$3d^5(4D)4p$	$^3P_2^o$	211151.7	211807	0.31	3.783–10
174	$3d^5(5I)4p$	$^3I_5^o$	211722.0	211983	0.12	6.146–10
175	$3d^5(2P)4s$	$^1P_1$		212470		1.230–04
176	$3d^5(5I)4p$	$^3I_6^o$	212602.7	212760	0.07	6.719–10
177	$3d^5(5I)4p$	$^3K_8^o$	212946.5	213068	0.06	1.218–09
178	$3d^5(5I)4p$	$^3I_7^o$	213131.5	213224	0.04	7.464–10
179	$3d^5(2F)4p$	$^3F_2^o$	213158.6	213595	0.20	9.930–10
180	$3d^5(5I)4p$	$^1H_5^o$	213735.1	213985	0.12	5.481–10
181	$3d^5(2D)4p$	$^3F_3^o$	213897.9	214268	0.17	9.175–10
182	$3d^5(2D)4p$	$^3F_2^o$	214059.3	214374	0.15	1.199–09
183	$3d^5(5I)4p$	$^3H_6^o$	214260.5	214720	0.21	2.661–10
184	$3d^5(5I)4p$	$^1K_7^o$	214352.1	214728	0.18	8.517–10
185	$3d^5(5I)4p$	$^3H_5^o$	214739.1	215204	0.22	2.779–10
186	$3d^5(2D)4p$	$^3F_4^o$	214831.6	215240	0.19	9.655–10
187	$3d^5(5I)4p$	$^3H_4^o$	215006.4	215340	0.16	2.963–10
188	$3d^5(3F)4p$	$^1G_4^o$	216717.8	217167	0.21	9.216–10
189	$3d^5(2D)4p$	$^3P_2^o$	216640.4	217259	0.29	3.440–10
190	$3d^5(2D)4s$	$^3D_3$	216651.1	217558	0.42	4.832–05
191	$3d^5(2D)4s$	$^3D_2$	216686.5	217609	0.43	4.740–05
192	$3d^5(3F)4p$	$^3G_3^o$	217060.7	217613	0.25	6.333–10
193	$3d^5(2D)4p$	$^3P_1^o$	216974.3	217627	0.30	3.122–10
194	$3d^5(2D)4s$	$^3D_1$	216721.1	217664	0.44	4.715–05
195	$3d^5(4F)4p$	$^5G_2^o$		217748		9.846–10
196	$3d^5(4F)4p$	$^5G_3^o$	217508.9	217848	0.16	9.788–10
197	$3d^5(4F)4p$	$^5G_4^o$	217830.7	218078	0.11	1.092–09
198	$3d^5(4F)4p$	$^5G_5^o$	217963.0	218269	0.14	9.510–10
199	$3d^5(2D)4p$	$^3P_0^o$		218382		3.060–10
200	$3d^5(5D)4p$	$^3D_3^o$	217585.4	218399	0.37	2.360–10
201	$3d^5(5D)4p$	$^3D_1^o$	217951.4	218638	0.32	2.711–10

Table 1 (continued)

Index ^c	Configuration	Level	NIST	QRHF	δE	τ (s)
202	$3d^5(2D)4p$	$3D_2^o$	217993.0	218692	0.32	2.719–10
203	$3d^5(4F)4p$	$5G_6^o$	218560.2	218785	0.10	1.061–09
204	$3d^5(2F)4p$	$3G_4^o$	218414.0	218829	0.19	5.255–10
205	$3d^5(2F)4p$	$3D_3^o$	218321.2	218924	0.28	3.533–10
206	$3d^5(2F)4p$	$3G_5^o$	218703.5	219018	0.14	6.096–10
207	$3d^5(4F)4p$	$5F_4^o$	218868.5	219200	0.15	6.163–10
208	$3d^5(4F)4p$	$5F_3^o$	218876.3	219209	0.15	5.597–10
209	$3d^5(4F)4p$	$5F_5^o$	219052.1	219383	0.15	5.445–10
210	$3d^5(4F)4p$	$5F_5^o$	219231.6	219521	0.13	6.977–10
211	$3d^5(4F)4p$	$5F_1^o$	219388.2	219542	0.07	5.680–10
212	$3d^5(2I)4p$	$1I_6^o$	218733.8	219556	0.38	2.997–10
213	$3d^5(2F)4p$	$3G_3^o$		219616		5.237–10
214	$3d^5(2F)4p$	$3D_2^o$	219453.9	219934	0.22	2.738–10
215	$3d^5(2F)4p$	$3F_4^o$	219694.2	220097	0.18	3.850–10
216	$3d^5(2F)4p$	$3D_1^o$	219260.1	220120	0.39	2.729–10
217	$3d^5(2F)4p$	$3D_2^o$	219969.0	220397	0.19	3.224–10
218	$3d^5(2F)4p$	$3F_3^o$	220052.2	220498	0.20	4.074–10
219	$3d^5(5G)4p$	$3H_4^o$	220145.6	220608	0.21	4.747–10
220	$3d^5(4F)4p$	$5D_4^o$	220535.2	220821	0.13	4.546–10
221	$3d^5(5G)4p$	$3H_5^o$	220423.7	220860	0.20	5.172–10
222	$3d^5(4F)4p$	$5D_3^o$	220887.1	221160	0.12	4.361–10
223	$3d^5(4F)4p$	$5D_2^o$	221058.4	221339	0.13	4.072–10
224	$3d^5(4F)4p$	$5D_1^o$	221062.2	221382	0.14	3.845–10
225	$3d^5(4F)4p$	$5D_0^o$		221394		3.700–10
226	$3d^5(5H)4p$	$3G_5^o$	220950.8	221475	0.24	2.850–10
227	$3d^5(5H)4p$	$3H_6^o$	221274.1	221597	0.15	5.033–10
228	$3d^5(5H)4p$	$3G_4^o$	221068.1	221652	0.26	3.026–10
229	$3d^5(5H)4p$	$3G_3^o$	221287.7	221851	0.25	3.071–10
230	$3d^5(2D)4s$	$1D_2$	220548.5	221950	0.64	8.219–05
231	$3d^5(2D)4p$	$1P_1^o$	222336.1	223012	0.30	2.762–10
232	$3d^5(2H)4p$	$3I_5^o$	222848.1	223316	0.21	8.291–10
233	$3d^5(3F)4p$	$3G_5^o$	223041.1	223687	0.29	4.698–10
234	$3d^5(2G)4p$	$3G_4^o$	222994.2	223711	0.32	3.765–10
235	$3d^5(2H)4p$	$3I_6^o$	223382.3	223796	0.19	8.073–10
236	$3d^5(5G)4p$	$3G_3^o$	223192.4	223879	0.31	4.723–10
237	$3d^5(4F)4p$	$3G_4^o$	223260.7	223986	0.32	3.963–10
238	$3d^5(3F)4p$	$1D_2^o$	223381.4	224228	0.38	2.747–10
239	$3d^5(2H)4p$	$3I_7^o$	223981.3	224363	0.17	8.481–10
240	$3d^5(2G)4p$	$3F_3^o$	224038.7	224992	0.43	2.702–10
241	$3d^5(5G)4p$	$3F_4^o$	224611.0	225308	0.31	2.904–10
242	$3d^5(2G)4p$	$3F_2^o$	224463.9	225362	0.40	2.953–10
243	$3d^5(3F)4p$	$1F_3^o$	224411.0	225444	0.46	2.202–10
244	$3d^5(2H)4p$	$1I_6^o$	225479.8	226252	0.34	4.372–10
245	$3d^5(3F)4p$	$3D_2^o$	225553.4	226550	0.44	3.967–10
246	$3d^5(4F)4p$	$3D_3^o$	225666.3	226624	0.42	3.670–10
247	$3d^5(3F)4p$	$3D_1^o$	225780.8	226786	0.45	3.762–10
248	$3d^5(4F)4p$	$3F_4^o$	225938.7	226848	0.40	3.440–10
249	$3d^5(4F)4p$	$3F_3^o$	226367.6	227277	0.40	3.478–10
250	$3d^5(4F)4p$	$3F_2^o$	226646.1	227496	0.37	3.726–10
251	$3d^5(2H)4p$	$3H_4^o$	226950.3	227579	0.28	4.976–10
252	$3d^5(2G)4p$	$3H_5^o$	226983.3	227621	0.28	5.082–10
253	$3d^5(5G)4p$	$3H_6^o$	227737.1	228254	0.23	5.736–10
254	$3d^5(2G)4p$	$3G_5^o$	227971.6	228733	0.33	2.446–10
255	$3d^5(5G)4p$	$3G_4^o$	228208.5	228976	0.34	2.353–10
256	$3d^5(2G)4p$	$3G_3^o$	228214.7	229041	0.36	2.313–10
257	$3d^5(2F)4p$	$1G_4^o$	228448.1	229350	0.39	3.327–10
258	$3d^5(2F)4p$	$3F_2^o$	228736.2	229780	0.46	2.687–10
259	$3d^5(3F)4p$	$3F_3^o$	228809.0	229816	0.44	2.868–10
260	$3d^5(2F)4p$	$3F_4^o$	229414.0	230246	0.36	3.206–10
261	$3d^5(2G)4p$	$1H_5^o$	229056.6	230264	0.53	2.965–10
262	$3d^5(5G)4p$	$1F_3^o$	229388.2	230592	0.52	1.928–10
263	$3d^5(2H)4p$	$1H_5^o$	229583.3	230603	0.44	2.116–10
264	$3d^5(2F)4p$	$1D_2^o$	229890.3	230654	0.33	3.916–10
265	$3d^5(2F)4p$	$3G_3^o$	231876.6	232717	0.36	5.869–10
266	$3d^5(2F)4p$	$3G_4^o$	232288.1	233064	0.33	6.353–10
267	$3d^5(5F)4p$	$3D_1^o$	232133.7	233192	0.46	2.299–10
268	$3d^5(2F)4p$	$3D_3^o$	232265.7	233234	0.42	2.238–10

Table 1 (continued)

Index ^c	Configuration	Level	NIST	QRHF	δE	τ (s)
269	$3d^5(2F)4p$	$3D_2^o$	232257.0	233261	0.43	2.271–10
270	$3d^5(2F)4p$	$3G_5^o$	232615.6	233336	0.31	6.916–10
271	$3d^5(2S)4p$	$3P_0^o$		233747		2.726–10
272	$3d^5(2S)4p$	$3P_1^o$	233158.8	234145	0.42	2.662–10
273	$3d^5(2S)4p$	$3P_2^o$	234109.4	235054	0.40	2.604–10
274	$3d^5(2H)4p$	$1G_4^o$	234584.4	235697	0.47	4.348–10
275	$3d^5(2S)4p$	$1P_1^o$	236588.9	237892	0.55	2.253–10
276	$3d^5(2F)4p$	$1F_3^o$	236240.4	237910	0.71	1.983–10
277	$3d^5(2D)4p$	$3F_2^o$	243999.4	245070	0.44	5.644–10
278	$3d^5(2D)4p$	$3F_3^o$	244285.6	245342	0.43	5.395–10
279	$3d^5(2D)4p$	$3D_1^o$		245591		4.182–10
280	$3d^5(2D)4p$	$3D_2^o$	244801.0	245864	0.43	4.296–10
281	$3d^5(2D)4p$	$3F_4^o$	245323.9	246321	0.41	6.046–10
282	$3d^5(2D)4p$	$3D_3^o$	245361.7	246382	0.42	4.382–10
283	$3d^5(2D)4p$	$1F_3^o$	246316.4	247456	0.46	7.149–10
284	$3d^5(2D)4p$	$3P_2^o$	247091.4	248356	0.51	4.184–10
285	$3d^5(2D)4p$	$3P_0^o$	247130.4	248435	0.53	4.095–10
286	$3d^5(2D)4p$	$3P_0^o$	247138.4	248444	0.53	4.020–10
287	$3d^5(2D)4p$	$1P_1^o$	248390.4	249793	0.56	4.453–10
288	$3d^5(2D)4p$	$1D_2^o$	249444.1	251009	0.63	2.375–10
289	$3d^5(2G)4p$	$3H_4^o$	253119.4	254339	0.48	8.232–10
290	$3d^5(2G)4p$	$3H_5^o$	253446.4	254650	0.47	7.922–10
291	$3d^5(2G)4p$	$3F_4^o$	253472.8	254881	0.56	2.672–10
292	$3d^5(2G)4p$	$3F_3^o$	253921.8	255310	0.55	2.862–10
293	$3d^5(2G)4p$	$3H_6^o$	254347.1	255474	0.44	9.427–10
294	$3d^5(2G)4p$	$3F_2^o$	254722.1	256110	0.54	2.512–10
295	$3d^5(2G)4p$	$3G_3^o$	254903.0	256247	0.53	3.029–10
296	$3d^5(2G)4p$	$3G_4^o$	255138.9	256420	0.50	3.535–10
297	$3d^5(2G)4p$	$3G_5^o$	255307.3	256530	0.48	3.955–10
298	$3d^5(2G)4p$	$1H_5^o$	257289.6	258871	0.61	3.586–10
299	$3d^5(2G)4p$	$1G_4^o$	257680.7	259326	0.64	2.871–10
300	$3d^5(2G)4p$	$1F_3^o$	258840.7	261031	0.85	1.912–10
301	$3d^5(2P)4p$	$3P_0^o$		268904		3.493–10
302	$3d^5(2P)4p$	$3P_1^o$	267508.7	269121	0.60	3.426–10
303	$3d^5(2P)4p$	$3P_2^o$	268151.4	269682	0.57	3.412–10
304	$3d^5(2P)4p$	$1S_0^o$		272355		1.483–09
305	$3d^5(2P)4p$	$3D_1^o$	272523.8	274343	0.67	3.372–10
306	$3d^5(2P)4p$	$3D_2^o$	272522.3	274355	0.67	3.653–10
307	$3d^5(2P)4p$	$3D_3^o$	273632.6	275409	0.65	3.232–10
308	$3d^5(2P)4p$	$1D_2^o$	274104.5	275849	0.64	4.147–10
309	$3d^5(2P)4p$	$3S_1^o$	275594.1	277499	0.69	2.158–10
310	$3d^5(2P)4p$	$1P_1^o$		279605		1.594–10
311	$3d^5(2D)4p$	$3F_2^o$	282925.2	284863	0.68	6.948–10
312	$3d^5(2D)4p$	$3F_3^o$	283211.1	285136	0.68	6.640–10
313	$3d^5(2D)4p$	$3F_4^o$	284089.0	285936	0.65	7.200–10
314	$3d^5(2D)4p$	$3D_1^o$	284496.9	286585	0.73	3.309–10
315	$3d^5(2D)4p$	$3D_2^o$	285045.7	287043	0.70	3.481–10
316	$3d^5(2D)4p$	$3D_3^o$	285642.1	287590	0.68	3.573–10
317	$3d^5(2D)4p$	$1D_2^o$	285928.4	288203	0.80	3.711–10
318	$3d^5(2D)4p$	$3P_2^o$	287239.6	289302	0.72	5.133–10
319	$3d^5(2D)4p$	$3P_1^o$		289735		5.751–10
320	$3d^5(2D)4p$	$3P_0^o$		290083		5.811–10
321	$3d^5(2D)4p$	$1F_3^o$	287698.3	290096	0.83	2.804–10
322	$3d^5(2D)4p$	$1P_1^o$		295845		2.995–10

c: see text in section 2 for levels in bold faces

Table 2Energies (in cm^{-1}) and lifetimes (τ , s) for the levels of Ni V. $a \pm b \equiv a \times 10^{\pm b}$. See page 13 for Explanation of Tables

Index ^c	Configuration	Level	NIST	QRHF	CI+MBPT	δE	τ (s)
1	3d ⁶	⁵ D ₄	0.0	0		0.00	
2	3d ⁶	⁵ D ₃	889.7	878		-1.32	4.294+01
3	3d ⁶	⁵ D ₂	1489.9	1476		-0.93	7.295+01
4	3d ⁶	⁵ D ₁	1871.5	1857		-0.77	1.926+02
5	3d ⁶	⁵ D ₀	2057.6	2044		-0.66	9.673+02
6	3d ⁶	³ P ₂	26153.0	26655		1.92	4.392-01
7	3d ⁶	³ H ₆	27111.2	27905		2.93	5.357+04
8	3d ⁶	³ H ₅	27578.2	28374		2.89	3.595+02
9	3d ⁶	³ H ₄	27858.8	28664		2.89	4.977+00
10	3d ⁶	³ P ₁	28697.6	29092		1.37	3.018-01
11	3d ⁶	³ F ₄	29123.7	29767		2.21	4.281-01
12	3d ⁶	³ P ₀	29640.0	30013		1.26	3.026-01
13	3d ⁶	³ F ₃	29570.8	30199		2.12	5.847-01
14	3d ⁶	³ F ₂	29899.2	30520		2.08	1.285+00
15	3d ⁶	³ G ₅	33256.5	34024		2.31	2.799+00
16	3d ⁶	³ G ₄	34061.7	34815		2.21	3.259+00
17	3d ⁶	³ G ₃	34416.4	35181		2.22	2.201+00
18	3d ⁶	¹ D ₂	41626.9	42441		1.96	7.674-01
19	3d ⁶	¹ I ₆	41252.2	42460		2.93	1.489+00
20	3d ⁶	³ D ₁	41701.1	42508		1.93	6.072-01
21	3d ⁶	³ D ₃	41920.2	42699		1.86	5.395-01
22	3d ⁶	¹ G ₄	42208.1	43082		2.07	3.853-01
23	3d ⁶	¹ S ₀	47699.7	48463		1.60	1.776-01
24	3d ⁶	¹ D ₂	48607.0	49560		1.96	3.942-01
25	3d ⁶	¹ F ₃	57924.1	59144		2.11	8.075-01
26	3d ⁶	³ P ₀	66737.8	68290		2.33	1.734-01
27	3d ⁶	³ P ₁	67547.9	69042		2.21	1.642-01
28	3d ⁶	³ F ₄	68718.7	70180		2.13	1.090-01
29	3d ⁶	³ F ₂	68632.1	70182		2.26	1.151-01
30	3d ⁶	³ F ₃	68854.7	70341		2.16	1.152-01
31	3d ⁶	³ P ₂	69156.1	70528		1.98	1.857-01
32	3d ⁶	¹ G ₄	77899.5	79677		2.28	1.437-01
33	3d ⁶	¹ D ₂	104420.5	106554		2.04	2.353-02
34	3d ⁶	¹ S ₀		137210			1.445-02
35	3d ⁵ (⁶ S)4s	⁷ S ₃	164525.9	163527	161376	-0.61	2.883-01
36	3d ⁵ (⁶ S)4s	⁵ S ₂	178019.8	177804	175638	-0.12	3.751-05
37	3d ⁵ (⁴ G)4s	⁵ G ₆	208046.4	207923	206960	-0.06	1.086-04
38	3d ⁵ (⁴ G)4s	⁵ G ₅	208131.0	208005	206965	-0.06	1.101-04
39	3d ⁵ (⁴ G)4s	⁵ G ₄	208163.7	208043	206930	-0.06	1.113-04
40	3d ⁵ (⁴ G)4s	⁵ G ₂	208151.5	208053	206820	-0.05	1.130-04
41	3d ⁵ (⁴ G)4s	⁵ G ₃	208164.6	208055	206873	-0.05	1.123-04
42	3d ⁵ (³ P)4s	⁵ P ₃	212095.8	212052	212267	-0.02	9.852-05
43	3d ⁵ (³ P)4s	⁵ P ₂	212253.4	212184	212451	-0.03	9.939-05
44	3d ⁵ (³ P)4s	⁵ P ₁	212455.7	212346	212727	-0.05	9.991-05
45	3d ⁵ (⁴ D)4s	⁵ D ₄	216189.9	216154	215975	-0.02	9.248-05
46	3d ⁵ (⁴ D)4s	⁵ D ₀	216305.7	216290		-0.01	9.314-05
47	3d ⁵ (⁴ D)4s	⁵ D ₁	216434.7	216382	216201	-0.02	9.320-05
48	3d ⁵ (⁴ D)4s	⁵ D ₃	216596.0	216481	216518	-0.05	9.330-05
49	3d ⁵ (⁵ D)4s	⁵ D ₂	216590.5	216491	216469	-0.05	9.334-05
50	3d ⁵ (⁴ G)4s	³ G ₅	217048.7	217525	216442	0.22	3.674-05
51	3d ⁵ (⁴ G)4s	³ G ₄	217129.1	217613	216431	0.22	3.673-05
52	3d ⁵ (³ G)4s	³ G ₃	217101.0	217615	216298	0.24	3.668-05
53	3d ⁵ (⁴ P)4s	³ P ₂	221087.6	221648	221778	0.25	3.475-05
54	3d ⁵ (³ P)4s	³ P ₁	221429.0	221924	222149	0.22	3.470-05
55	3d ⁵ (⁴ P)4s	³ P ₀		222129			3.465-05
56	3d ⁵ (³ D)4s	³ D ₃	225200.7	225787	225486	0.26	3.430-05
57	3d ⁵ (⁴ D)4s	³ D ₁	225545.1	226092	225865	0.24	3.462-05
58	3d ⁵ (⁴ D)4s	³ D ₂	225616.5	226129	226048	0.23	3.447-05
59	3d ⁵ (³ I)4s	³ I ₆	229408.8	230098	228688	0.30	6.494-05
60	3d ⁵ (² I)4s	³ I ₅	229413.0	230108	228624	0.30	6.576-05
61	3d ⁵ (³ I)4s	³ I ₇	229440.6	230112	228804	0.29	6.388-05
62	3d ⁵ (² D)4s	³ D ₃	232545.9	233087	233464	0.23	6.105-05
63	3d ⁵ (² D)4s	³ D ₂	232655.6	233176	233636	0.22	6.165-05
64	3d ⁵ (³ D)4s	³ D ₁	232910.8	233387	233948	0.20	6.201-05
65	3d ⁵ (⁴ F)4s	⁵ F ₅	234082.1	234413	235539	0.14	5.868-05
66	3d ⁵ (³ F)4s	⁵ F ₄	234125.4	234493	235474	0.16	5.915-05
67	3d ⁵ (² I)4s	¹ I ₆	233839.2	234637	233405	0.34	4.068-05

Table 2 (continued)

Index ^c	Configuration	Level	NIST	QRHF	CI+MBPT	δE	τ (s)
68	3d ⁵ (⁴ F)4s	⁵ F ₃	234275.2	234644	235590	0.16	5.960–05
69	3d ⁵ (⁴ F)4s	⁵ F ₂	234412.7	234815	235649	0.17	5.931–05
70	3d ⁵ (⁴ F)4s	⁵ F ₁	235116.5	235353	236450	0.10	6.071–05
71	3d ⁵ (³ F)4s	³ F ₄	235420.6	235801	236638	0.16	5.813–05
72	3d ⁵ (³ F)4s	³ F ₂	235736.5	236116	236988	0.16	5.565–05
73	3d ⁵ (³ F)4s	³ F ₃	236454.1	236686	237751	0.10	5.858–05
74	3d ⁵ (¹ D)4s	¹ D ₂	239107.7	239524	240573	0.17	4.233–05
75	3d ⁵ (³ F)4s	¹ F ₃	240193.8	240847	241603	0.27	4.068–05
76	3d ⁵ (³ H)4s	³ H ₄	240959.6	241659	241859	0.29	5.311–05
77	3d ⁵ (³ S)4p	⁷ P ₂ ^o	242837.0	241678	240905	-0.48	8.908–10
78	3d ⁵ (³ H)4s	³ H ₅	241082.2	241733	242009	0.27	5.344–05
79	3d ⁵ (³ H)4s	³ H ₆	241773.6	242273	242951	0.21	5.211–05
80	3d ⁵ (³ S)4p	⁷ P ₃ ^o	243608.5	242411	241735	-0.49	8.552–10
81	3d ⁵ (³ G)4s	³ G ₃	242290.4	242937	243251	0.27	5.143–05
82	3d ⁵ (³ G)4s	³ G ₄	242504.3	243139	243603	0.26	4.750–05
83	3d ⁵ (³ G)4s	³ G ₅	242862.6	243352	243904	0.20	5.345–05
84	3d ⁵ (³ S)4p	⁷ P ₄ ^o	244900.5	243620	243090	-0.52	8.384–10
85	3d ⁵ (³ F)4s	³ F ₄	243331.5	244133	245028	0.33	3.107–05
86	3d ⁵ (³ F)4s	³ F ₂	243266.2	244221	245147	0.39	3.172–05
87	3d ⁵ (³ F)4s	³ F ₃	243370.5	244248	245219	0.36	3.085–05
88	3d ⁵ (¹ H)4s	¹ H ₅	246240.9	247107	247646	0.35	3.553–05
89	3d ⁵ (³ F)4s	³ F ₃	247104.9	247753	248495	0.26	4.967–05
90	3d ⁵ (³ F)4s	³ F ₄	247049.1	247765	248295	0.29	4.882–05
91	3d ⁵ (³ F)4s	³ F ₂	247165.0	247794	248504	0.25	4.482–05
92	3d ⁵ (¹ G)4s	¹ G ₄	247281.8	248060	248806	0.31	3.898–05
93	3d ⁵ (³ F)4s	¹ F ₃	251654.9	252611	253353	0.38	3.389–05
94	3d ⁵ (³ S)4p	⁵ P ₃ ^o	253862.7	253492	252631	-0.15	1.895–10
95	3d ⁵ (³ S)4p	⁵ P ₂ ^o	254495.6	254156	253294	-0.13	1.915–10
96	3d ⁵ (³ S)4p	⁵ P ₁ ^o	254885.0	254565	253703	-0.13	1.923–10
97	3d ⁵ (³ S)4s	³ S ₁	253905.2	254785	256093	0.35	5.048–05
98	3d ⁵ (¹ S)4s	¹ S ₀		259591			3.061–05
99	3d ⁵ (³ D)4s	³ D ₁	263700.9	264647	266973	0.36	4.115–05
100	3d ⁵ (³ D)4s	³ D ₂	263735.7	264670	267037	0.35	4.107–05
101	3d ⁵ (³ D)4s	³ D ₃	263805.8	264718	267155	0.35	4.092–05
102	3d ⁵ (¹ D)4s	¹ D ₂	268273.9	269523	271824	0.47	2.879–05
103	3d ⁵ (³ G)4s	³ G ₅	274695.4	275885	278280	0.43	3.459–05
104	3d ⁵ (³ G)4s	³ G ₄	274738.6	275938	278290	0.44	3.466–05
105	3d ⁵ (³ G)4s	³ G ₃	274773.5	275980	278290	0.44	3.472–05
106	3d ⁵ (³ G)4s	¹ G ₄	279199.5	280730	282992	0.55	2.629–05
107	3d ⁵ (⁴ G)4p	⁵ G ₂ ^o	284215.5	284000	284138	-0.08	9.262–10
108	3d ⁵ (⁴ G)4p	⁵ G ₃ ^o	284249.0	284020	284206	-0.08	9.228–10
109	3d ⁵ (⁴ G)4p	⁵ G ₄ ^o	284308.9	284063	284319	-0.09	9.157–10
110	3d ⁵ (⁴ G)4p	⁵ G ₅ ^o	284402.5	284142	284484	-0.09	9.121–10
111	3d ⁵ (⁴ G)4p	⁵ G ₆ ^o	284579.5	284298	284749	-0.10	9.619–10
112	3d ⁵ (⁴ G)4p	⁵ H ₃ ^o	286293.6	286160	286124	-0.05	8.653–10
113	3d ⁵ (⁴ G)4p	⁵ H ₄ ^o	286706.6	286535	286614	-0.06	8.045–10
114	3d ⁵ (⁴ G)4p	⁵ H ₅ ^o	287127.2	286934	287133	-0.07	6.828–10
115	3d ⁵ (⁴ G)4p	⁵ H ₆ ^o	287645.9	287402	287727	-0.08	8.456–10
116	3d ⁵ (³ P)4p	⁵ D ₀ ^o	290262.0	287705	289135	-0.88	9.772–10
117	3d ⁵ (³ P)4p	⁵ D ₁ ^o	287755.5	287711	289613	-0.02	7.649–10
118	3d ⁵ (³ P)4p	⁵ D ₂ ^o	287782.1	287773		0.00	5.316–10
119	3d ⁵ (³ G)4p	⁵ H ₇ ^o	288021.6	287782	288175	-0.08	8.488–10
120	3d ⁵ (⁴ G)4p	⁵ F ₅ ^o	287906.9	287843	288106	-0.02	1.746–10
121	3d ⁵ (³ G)4p	⁵ F ₃ ^o	287960.0	287960	288522	0.00	3.228–10
122	3d ⁵ (⁴ G)4p	⁵ F ₄ ^o	288161.6	288107	288413	-0.02	2.000–10
123	3d ⁵ (³ P)4p	⁵ S ₂ ^o	288877.9	288753	290418	-0.04	7.183–10
124	3d ⁵ (⁴ G)4p	⁵ F ₁ ^o	289163.0	289074	288825	-0.03	2.033–10
125	3d ⁵ (⁴ G)4p	⁵ F ₂ ^o	289247.1	289131	288627	-0.04	2.196–10
126	3d ⁵ (⁴ G)4p	⁵ F ₃ ^o	289298.0	289205		-0.03	2.297–10
127	3d ⁵ (³ P)4p	⁵ D ₄ ^o		290030			5.204–10
128	3d ⁵ (³ P)4p	⁵ P ₃ ^o	290757.0	290863	292068	0.04	1.320–10
129	3d ⁵ (⁴ G)4p	³ F ₂ ^o	291097.7	291264		0.06	2.604–10
130	3d ⁵ (³ P)4p	⁵ P ₂ ^o	291390.0	291454	292791	0.02	1.266–10
131	3d ⁵ (⁴ G)4p	³ F ₃ ^o	291328.5	291469	291701	0.05	2.489–10
132	3d ⁵ (⁴ P)4p	⁵ P ₁ ^o	291541.7	291590	293024	0.02	1.290–10
133	3d ⁵ (³ G)4p	³ F ₄ ^o	291554.6	291687	292101	0.05	2.476–10
134	3d ⁵ (⁴ G)4p	³ H ₆ ^o	291891.4	292091	292235	0.07	3.661–10

Table 2 (continued)

Index ^c	Configuration	Level	NIST	QRHF	CI+MBPT	δE	τ (s)
135	$3d^5(4G)4p$	$^3H_5^o$	292353.4	292569	292626	0.07	3.633–10
136	$3d^5(4G)4p$	$^3H_4^o$	292631.0	292880	292818	0.09	3.623–10
137	$3d^5(4P)4p$	$^3P_2^o$	292983.0	293208		0.08	2.526–10
138	$3d^5(3P)4p$	$^3P_1^o$	293420.0	293620		0.07	2.467–10
139	$3d^5(4D)4p$	$^5F_1^o$	293833.8	293900		0.02	3.246–10
140	$3d^5(3P)4p$	$^3P_0^o$	293867.0	294025		0.05	2.714–10
141	$3d^5(4D)4p$	$^5F_2^o$	294086.0	294110	294870	0.01	3.566–10
142	$3d^5(4D)4p$	$^5F_3^o$	294443.3	294424	295332	-0.01	3.980–10
143	$3d^5(4D)4p$	$^5F_4^o$	294939.6	294861	295953	-0.03	4.418–10
144	$3d^5(4D)4p$	$^5F_5^o$	295444.3	295349	296412	-0.03	4.752–10
145	$3d^5(4D)4p$	$^5D_3^o$	296574.0	296767	297672	0.07	2.189–10
146	$3d^5(4D)4p$	$^5D_4^o$	296897.0	297081	297564	0.06	1.750–10
147	$3d^5(4D)4p$	$^5D_2^o$	297013.9	297154	298147	0.05	2.204–10
148	$3d^5(4D)4p$	$^5D_1^o$	297417.9	297539	299204	0.04	2.391–10
149	$3d^5(4G)4p$	$^3G_3^o$	296847.1	297546	297427	0.24	1.313–10
150	$3d^5(4G)4p$	$^3G_4^o$	296919.3	297573	297899	0.22	1.290–10
151	$3d^5(4G)4p$	$^3G_5^o$	296932.9	297577	297689	0.22	1.251–10
152	$3d^5(3P)4p$	$^3D_3^o$	297418.1	297777		0.12	2.933–10
153	$3d^5(3P)4s$	$^3P_2$		297781			2.777–05
154	$3d^5(3P)4s$	$^3P_1$		297821			2.795–05
155	$3d^5(3P)4s$	$^3P_0$		297848			2.807–05
156	$3d^5(4D)4p$	$^5D_0^o$	298060.0	298008	300187	-0.02	1.917–10
157	$3d^5(3P)4p$	$^3D_2^o$	297842.5	298203		0.12	2.959–10
158	$3d^5(4D)4p$	$^5P_1^o$	297982.8	298252	298499	0.09	3.129–10
159	$3d^5(3P)4p$	$^3D_1^o$	298600.6	298906		0.10	2.025–10
160	$3d^5(4D)4p$	$^3D_3^o$	298972.3	299083	301604	0.04	3.562–10
161	$3d^5(4P)4p$	$^3D_2^o$	299045.6	299177		0.04	2.894–10
162	$3d^5(4D)4p$	$^3D_3^o$	300201.0	300465		0.09	2.166–10
163	$3d^5(4D)4p$	$^3D_2^o$	300224.9	300482	301654	0.09	2.646–10
164	$3d^5(4D)4p$	$^3D_1^o$	300563.3	300759	302123	0.07	3.735–10
165	$3d^5(4D)4p$	$^3F_4^o$	300918.1	301281	302325	0.12	2.532–10
166	$3d^5(4D)4p$	$^3F_3^o$	301470.2	301784	303003	0.10	2.663–10
167	$3d^5(4D)4p$	$^3F_2^o$	301553.0	301906	303042	0.12	2.808–10
168	$3d^5(3P)4s$	$^1P_1$		302675			2.314–05
169	$3d^5(3P)4p$	$^3S_1^o$	303249.5	304213	305408	0.32	9.408–11
170	$3d^5(2I)4p$	$^3K_6^o$	305590.8	305997	305928	0.13	6.467–10
171	$3d^5(4D)4p$	$^3P_0^o$	305386.9	306156	307575	0.25	1.764–10
172	$3d^5(2I)4p$	$^3K_7^o$	305996.3	306364	306455	0.12	5.754–10
173	$3d^5(2I)4p$	$^3I_5^o$	306049.0	306505	306418	0.15	3.269–10
174	$3d^5(4D)4p$	$^3P_1^o$	305838.1	306518		0.22	1.763–10
175	$3d^5(4D)4p$	$^3P_2^o$	306377.8	306989		0.20	1.900–10
176	$3d^5(2I)4p$	$^3I_6^o$	307399.7	307753	307816	0.11	3.448–10
177	$3d^5(2F)4p$	$^3F_2^o$	307731.1	308261		0.17	5.073–10
178	$3d^5(2I)4p$	$^3K_8^o$	308138.8	308436	308713	0.10	8.938–10
179	$3d^5(2I)4p$	$^3I_7^o$	308317.3	308578	308828	0.08	4.480–10
180	$3d^5(2D)4s$	$^3D_3$	306962.9	308715	313819	0.57	2.195–05
181	$3d^5(2D)4s$	$^3D_2$	307025.2	308792	313867	0.58	2.177–05
182	$3d^5(2D)4s$	$^3D_1$	307105.1	308876	313924	0.58	2.168–05
183	$3d^5(2D)4p$	$^3F_3^o$	308592.0	309067		0.15	4.879–10
184	$3d^5(2I)4p$	$^1H_5^o$	308804.1	309165	309509	0.12	2.920–10
185	$3d^5(2D)4p$	$^1D_2^o$	308943.0	309350		0.13	6.574–10
186	$3d^5(2I)4p$	$^3H_6^o$	309264.0	309795	309855	0.17	1.371–10
187	$3d^5(2I)4p$	$^1K_2^o$	309743.6	310264	310317	0.17	5.099–10
188	$3d^5(2I)4p$	$^3H_5^o$	309919.5	310471	310625	0.18	1.404–10
189	$3d^5(2D)4p$	$^3F_4^o$	309952.5	310493	310654	0.17	3.503–10
190	$3d^5(2I)4p$	$^3H_4^o$	310212.6	310604	312537	0.13	1.851–10
191	$3d^5(2F)4p$	$^1G_4^o$	312008.3	312523		0.16	4.793–10
192	$3d^5(2D)4p$	$^3P_2^o$	311966.5	312598		0.20	1.857–10
193	$3d^5(2D)4p$	$^3P_1^o$	312291.0	312969		0.22	1.553–10
194	$3d^5(2F)4p$	$^3G_3^o$	312463.3	313052		0.19	3.485–10
195	$3d^5(2F)4p$	$^5G_2^o$	312778.0	313172		0.13	6.376–10
196	$3d^5(2F)4p$	$^5G_3^o$	312889.4	313295		0.13	6.043–10
197	$3d^5(2D)4s$	$^1D_2$	311470.3	313559		0.67	2.044–05
198	$3d^5(2F)4p$	$^5G_4^o$	313281.3	313618		0.11	7.323–10
199	$3d^5(2D)4p$	$^3D_3^o$	312953.6	313793		0.27	1.067–10
200	$3d^5(2F)4p$	$^5G_5^o$	313464.7	313867		0.13	5.936–10
201	$3d^5(2D)4p$	$^3P_0^o$	313577.3	314153		0.18	1.574–10

Table 2 (continued)

Index ^c	Configuration	Level	NIST	QRHF	CI+MBPT	δE	τ (s)
202	$3d^5(2D)4p$	$3D_1^o$	313679.0	314367		0.22	1.303–10
203	$3d^5(2D)4p$	$3D_2^o$	313686.6	314391		0.22	1.319–10
204	$3d^5(2F)4p$	$3D_3^o$	313919.8	314523		0.19	2.225–10
205	$3d^5(4F)4p$	$3G_4^o$	314208.8	314682		0.15	2.783–10
206	$3d^5(4F)4p$	$5G_6^o$	314392.0	314709		0.10	6.993–10
207	$3d^5(4F)4p$	$5F_3^o$	314562.8	314970		0.13	3.223–10
208	$3d^5(4F)4p$	$5F_4^o$	314599.2	315025		0.14	3.279–10
209	$3d^5(4F)4p$	$3G_5^o$	314702.2	315046		0.11	3.650–10
210	$3d^5(4F)4p$	$5F_2^o$	314834.7	315239		0.13	3.054–10
211	$3d^5(4F)4p$	$5F_1^o$	315152.8	315495		0.11	3.233–10
212	$3d^5(4F)4p$	$5F_5^o$	315168.2	315551		0.12	4.061–10
213	$3d^5(4I)4p$	$1I_6^o$	314756.4	315566		0.26	1.559–10
214	$3d^5(4F)4p$	$3G_3^o$	315326.2	315648		0.10	2.532–10
215	$3d^5(4F)4p$	$3D_2^o$	315366.1	315806		0.14	1.411–10
216	$3d^5(4G)4p$	$3H_4^o$	315370.1	315945		0.18	2.253–10
217	$3d^5(4F)4p$	$3D_1^o$	315300.7	316016		0.23	1.495–10
218	$3d^5(4G)4p$	$3H_4^o$	316068.8	316435		0.12	2.327–10
219	$3d^5(4G)4p$	$3H_5^o$	315990.5	316523		0.17	2.787–10
220	$3d^5(4F)4p$	$3D_2^o$	316165.4	316567		0.13	1.700–10
221	$3d^5(4F)4p$	$3F_3^o$	316280.3	316776		0.16	2.151–10
222	$3d^5(4F)4p$	$5D_4^o$	316744.0	317097		0.11	2.805–10
223	$3d^5(4H)4p$	$3G_5^o$	316726.6	317237		0.16	1.360–10
224	$3d^5(4H)4p$	$3G_4^o$	316887.8	317486		0.19	1.416–10
225	$3d^5(4F)4p$	$5D_3^o$	317232.0	317586		0.11	2.587–10
226	$3d^5(4H)4p$	$3H_6^o$	317327.3	317725		0.13	2.538–10
227	$3d^5(4F)4p$	$5D_2^o$	317517.5	317829		0.10	2.364–10
228	$3d^5(4F)4p$	$5D_0^o$	317462.3	317843		0.12	2.049–10
229	$3d^5(4F)4p$	$5D_1^o$	317477.9	317847		0.12	2.171–10
230	$3d^5(4H)4p$	$3G_3^o$	317376.8	317856		0.15	1.486–10
231	$3d^5(4H)4p$	$3I_5^o$	319076.2	319610		0.17	5.034–10
232	$3d^5(4D)4p$	$1P_1^o$	319073.4	319625		0.17	1.355–10
233	$3d^5(4G)4p$	$1G_4^o$	319138.7	319874		0.23	1.755–10
234	$3d^5(4F)4p$	$3G_5^o$	319652.7	320272		0.19	2.993–10
235	$3d^5(4H)4p$	$3I_6^o$	319860.4	320320		0.14	4.887–10
236	$3d^5(4G)4p$	$3G_3^o$	319620.2	320340		0.23	2.674–10
237	$3d^5(4F)4p$	$3G_4^o$	319899.1	320569		0.21	2.730–10
238	$3d^5(4F)4p$	$1D_2^o$	319926.5	320735		0.25	1.311–10
239	$3d^5(4H)4p$	$3I_7^o$	320783.1	321207		0.13	5.333–10
240	$3d^5(4G)4p$	$3F_3^o$	320513.8	321368		0.27	1.470–10
241	$3d^5(4G)4p$	$3F_4^o$	321056.4	321745		0.21	1.436–10
242	$3d^5(4G)4p$	$3F_2^o$	321018.3	321872		0.27	1.448–10
243	$3d^5(4F)4p$	$1F_3^o$	321081.9	322037		0.30	1.058–10
244	$3d^5(4H)4p$	$1I_6^o$	322324.2	323100		0.24	2.443–10
245	$3d^5(4F)4p$	$3D_2^o$	322436.4	323361		0.29	2.095–10
246	$3d^5(4F)4p$	$3D_3^o$	322617.6	323500		0.27	1.864–10
247	$3d^5(4F)4p$	$3F_4^o$	322820.8	323646		0.26	1.990–10
248	$3d^5(4F)4p$	$3D_1^o$	322984.5	323868		0.27	1.844–10
249	$3d^5(4F)4p$	$3F_3^o$	323532.2	324337		0.25	1.905–10
250	$3d^5(4F)4p$	$3F_2^o$	323853.1	324613		0.23	2.050–10
251	$3d^5(4H)4p$	$3H_4^o$	323926.3	324643		0.22	2.555–10
252	$3d^5(4G)4p$	$3H_5^o$	323908.6	324656		0.23	2.565–10
253	$3d^5(4G)4p$	$3H_6^o$	325148.4	325714		0.17	3.359–10
254	$3d^5(4G)4p$	$3G_5^o$	324980.2	325729		0.23	1.300–10
255	$3d^5(4F)4p$	$3G_4^o$	325222.9	326001		0.24	1.225–10
256	$3d^5(4F)4p$	$3G_3^o$	325211.9	326068		0.26	1.180–10
257	$3d^5(4F)4p$	$1G_4^o$	325558.6	326435		0.27	1.655–10
258	$3d^5(4F)4p$	$3F_2^o$	325982.2	326997		0.31	1.295–10
259	$3d^5(4F)4p$	$3F_3^o$	326029.9	327010		0.30	1.368–10
260	$3d^5(4G)4p$	$1H_5^o$	326337.1	327560		0.37	8.178–11
261	$3d^5(4F)4p$	$3F_4^o$	326876.3	327667		0.24	1.630–10
262	$3d^5(4G)4p$	$1F_3^o$	326739.0	327803		0.33	9.561–11
263	$3d^5(4F)4p$	$1D_2^o$	327122.7	327886		0.23	2.075–10
264	$3d^5(4H)4p$	$1H_5^o$	327356.6	328212		0.26	2.491–10
265	$3d^5(4F)4p$	$3D_1^o$	329462.3	330526		0.32	1.190–10
266	$3d^5(4H)4p$	$3G_3^o$	329614.3	330527		0.28	1.830–10
267	$3d^5(5S)4p$	$3P_0^o$	329618.5	330624		0.31	1.355–10
268	$3d^5(5F)4p$	$3D_2^o$	329776.3	330749		0.29	1.147–10

Table 2 (continued)

Index ^c	Configuration	Level	NIST	QRHF	CI+MBPT	δE	τ (s)
269	$3d^5(2F)4p$	$3D_3^o$	329872.9	330761		0.27	1.506–10
270	$3d^5(2F)4p$	$3G_4^o$	330297.6	331112		0.25	3.647–10
271	$3d^5(2S)4p$	$3P_1^o$	330370.7	331314		0.29	1.279–10
272	$3d^5(2F)4p$	$3G_5^o$	330718.1	331474		0.23	4.205–10
273	$3d^5(2S)4p$	$3P_2^o$	331678.2	332570		0.27	1.278–10
274	$3d^5(2H)4p$	$1G_4^o$	332995.6	334066		0.32	2.236–10
275	$3d^5(2S)4p$	$1P_1^o$	334477.2	335720		0.37	1.100–10
276	$3d^5(2F)4p$	$1F_3^o$	334727.6	336241		0.45	9.651–11
277	$3d^5(2D)4p$	$3F_2^o$	342894.6	343936		0.30	3.184–10
278	$3d^5(2D)4p$	$3F_3^o$	343281.0	344292		0.29	2.971–10
279	$3d^5(2D)4p$	$3D_1^o$	343478.2	344506		0.30	2.294–10
280	$3d^5(2D)4p$	$3D_2^o$	343905.7	344931		0.30	2.400–10
281	$3d^5(2D)4p$	$3D_3^o$	344805.3	345774		0.28	2.476–10
282	$3d^5(2D)4p$	$3F_4^o$	344911.2	345860		0.28	3.644–10
283	$3d^5(2D)4p$	$1F_3^o$	345936.1	347005		0.31	4.276–10
284	$3d^5(2D)4p$	$3P_2^o$	346912.4	348079		0.34	2.300–10
285	$3d^5(2D)4p$	$3P_0^o$	346920.2	348153		0.36	2.188–10
286	$3d^5(2D)4p$	$3P_1^o$	346959.5	348172		0.35	2.246–10
287	$3d^5(2D)4p$	$1P_1^o$	348477.9	349766		0.37	2.408–10
288	$3d^5(2D)4p$	$1D_2^o$	349546.0	350976		0.41	1.188–10
289	$3d^5(2G)4p$	$3H_4^o$	353071.6	354291		0.35	3.543–10
290	$3d^5(2G)4p$	$3F_4^o$	353347.1	354631		0.36	1.552–10
291	$3d^5(2G)4p$	$3H_5^o$	353548.7	354731		0.33	4.607–10
292	$3d^5(2G)4p$	$3F_3^o$	353944.1	355248		0.37	1.477–10
293	$3d^5(2G)4p$	$3H_6^o$	354989.6	356078		0.31	6.566–10
294	$3d^5(2G)4p$	$3F_2^o$	355150.0	356415		0.36	1.294–10
295	$3d^5(2G)4p$	$3G_2^o$	355398.0	356676		0.36	1.601–10
296	$3d^5(2G)4p$	$3G_4^o$	355765.2	356994		0.35	1.951–10
297	$3d^5(2G)4p$	$3G_5^o$	356036.3	357204		0.33	2.279–10
298	$3d^5(2G)4p$	$1H_5^o$	358475.6	359944		0.41	1.956–10
299	$3d^5(2G)4p$	$1G_4^o$	358760.0	360273		0.42	1.459–10
300	$3d^5(2G)4p$	$1F_3^o$	360059.7	361961		0.53	9.278–11
301	$3d^5(2P)4p$	$3P_0^o$	368440.5	369963		0.41	1.888–10
302	$3d^5(2P)4p$	$3P_1^o$	368749.7	370248		0.41	1.836–10
303	$3d^5(2P)4p$	$3P_2^o$	369649.1	371047		0.38	1.829–10
304	$3d^5(2P)4p$	$1S_0^o$		374539			1.023–09
305	$3d^5(2P)4p$	$3D_2^o$	374803.7	376529		0.46	1.992–10
306	$3d^5(2P)4p$	$3D_1^o$	374828.1	376534		0.46	1.786–10
307	$3d^5(2P)4p$	$3D_3^o$	376471.6	378130		0.44	1.708–10
308	$3d^5(2P)4p$	$1D_2^o$	377059.1	378675		0.43	2.266–10
309	$3d^5(2P)4p$	$3S_1^o$	378555.0	380359		0.48	1.107–10
310	$3d^5(2P)4p$	$1P_1^o$	380165.6	382461		0.60	7.693–11
311	$3d^5(2D)4p$	$3F_2^o$	386968.8	388703		0.45	4.308–10
312	$3d^5(2D)4p$	$3F_3^o$	387333.4	389056		0.44	4.015–10
313	$3d^5(2D)4p$	$3F_4^o$	388698.9	390328		0.42	4.707–10
314	$3d^5(2D)4p$	$3D_1^o$	388746.1	390631		0.48	1.854–10
315	$3d^5(2D)4p$	$3D_2^o$	389571.8	391345		0.46	2.002–10
316	$3d^5(2D)4p$	$3D_3^o$	390478.2	392198		0.44	2.090–10
317	$3d^5(2D)4p$	$1D_2^o$	390675.1	392736		0.53	1.975–10
318	$3d^5(2D)4p$	$3P_2^o$	392413.5	394267		0.47	3.068–10
319	$3d^5(2D)4p$	$3P_0^o$		394868			3.642–10
320	$3d^5(2D)4p$	$1F_3^o$	392957.1	395067		0.54	1.504–10
321	$3d^5(2D)4p$	$3P_0^o$		395370			3.714–10
322	$3d^5(2D)4p$	$1P_1^o$		401752			1.549–10

c: see text in section 2 for levels in bold faces

Table 3

Transition wavelengths in vacuum (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij} , dimensionless), and line strengths (S , in atomic units) for electric dipole (E1), and A_{ji} for electric quadrupole (E2) and magnetic dipole (M1) transitions of Co IV. See page 13 for Explanation of Tables

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}
1	2	1.572+04	0.000+00	0.000+00	0.000+00	0.000+00	8.850−03
1	7	4.106+02	0.000+00	0.000+00	0.000+00	1.150−05	0.000+00
1	8	4.046+02	0.000+00	0.000+00	0.000+00	0.000+00	2.570−05
1	9	4.004+02	0.000+00	0.000+00	0.000+00	0.000+00	2.440−02
1	12	3.824+02	0.000+00	0.000+00	0.000+00	0.000+00	9.740−01
1	13	3.775+02	0.000+00	0.000+00	0.000+00	0.000+00	9.540−02
1	15	3.352+02	0.000+00	0.000+00	0.000+00	0.000+00	9.470−04
1	16	3.290+02	0.000+00	0.000+00	0.000+00	0.000+00	2.220−02
1	17	3.259+02	0.000+00	0.000+00	0.000+00	0.000+00	1.400−03
1	21	2.659+02	0.000+00	0.000+00	0.000+00	0.000+00	4.850−01
1	29	1.620+02	0.000+00	0.000+00	0.000+00	0.000+00	2.410−01
1	33	1.135+02	0.000+00	0.000+00	0.000+00	8.470−02	0.000+00
1	35	9.871+01	0.000+00	0.000+00	0.000+00	1.090+03	0.000+00
1	37	7.822+01	0.000+00	0.000+00	0.000+00	1.450+03	0.000+00
1	38	7.818+01	0.000+00	0.000+00	0.000+00	3.890+02	0.000+00
1	39	7.817+01	0.000+00	0.000+00	0.000+00	7.840+01	0.000+00
1	40	7.816+01	0.000+00	0.000+00	0.000+00	9.890+00	0.000+00
1	42	7.596+01	0.000+00	0.000+00	0.000+00	1.060+03	0.000+00
1	43	7.591+01	0.000+00	0.000+00	0.000+00	9.290+02	0.000+00
1	45	7.399+01	0.000+00	0.000+00	0.000+00	1.120+03	0.000+00
1	48	7.388+01	0.000+00	0.000+00	0.000+00	5.120+02	0.000+00
1	49	7.388+01	0.000+00	0.000+00	0.000+00	9.930+01	0.000+00
1	62	6.649+01	0.000+00	0.000+00	0.000+00	1.220+01	0.000+00
1	65	6.602+01	0.000+00	0.000+00	0.000+00	2.490+03	0.000+00
1	66	6.599+01	0.000+00	0.000+00	0.000+00	1.180+03	0.000+00
1	68	6.595+01	0.000+00	0.000+00	0.000+00	2.850+02	0.000+00
1	69	6.589+01	0.000+00	0.000+00	0.000+00	2.870+01	0.000+00
1	71	6.554+01	0.000+00	0.000+00	0.000+00	1.770+01	0.000+00
1	84	6.282+01	0.000+00	0.000+00	0.000+00	1.130+01	0.000+00
1	93	6.085+01	1.380+09	5.956−02	1.070+00	0.000+00	0.000+00
1	109	5.209+01	1.820+07	9.044−04	1.400−02	0.000+00	0.000+00
1	114	5.149+01	2.490+07	1.211−03	1.840−02	0.000+00	0.000+00
1	118	5.119+01	2.250+09	1.080−01	1.640+00	0.000+00	0.000+00
1	121	5.114+01	1.660+08	5.044−03	7.650−02	0.000+00	0.000+00
1	122	5.113+01	4.280+08	1.678−02	2.540−01	0.000+00	0.000+00
1	126	5.092+01	5.930+07	1.789−03	2.700−02	0.000+00	0.000+00
1	127	5.077+01	7.960+06	3.078−04	4.630−03	0.000+00	0.000+00
1	128	5.048+01	2.350+09	6.978−02	1.040+00	0.000+00	0.000+00
1	130	5.043+01	1.480+08	4.378−03	6.540−02	0.000+00	0.000+00
1	142	4.975+01	6.580+06	1.900−04	2.800−03	0.000+00	0.000+00
1	143	4.968+01	7.300+07	2.700−03	3.980−02	0.000+00	0.000+00
1	144	4.960+01	4.250+08	1.922−02	2.820−01	0.000+00	0.000+00
1	145	4.922+01	2.630+08	7.433−03	1.090−01	0.000+00	0.000+00
1	147	4.916+01	1.720+09	6.244−02	9.100−01	0.000+00	0.000+00
1	152	4.906+01	1.300+07	3.656−04	5.310−03	0.000+00	0.000+00
1	157	4.883+01	1.670+08	4.633−03	6.700−02	0.000+00	0.000+00
1	159	4.850+01	1.320+07	3.622−04	5.210−03	0.000+00	0.000+00
1	162	4.832+01	4.390+07	1.533−03	2.200−02	0.000+00	0.000+00
1	198	4.581+01	2.800+07	1.076−03	1.460−02	0.000+00	0.000+00
1	204	4.570+01	1.090+07	3.422−04	4.630−03	0.000+00	0.000+00
1	206	4.566+01	1.110+07	4.244−04	5.740−03	0.000+00	0.000+00
1	207	4.562+01	8.200+07	2.556−03	3.460−02	0.000+00	0.000+00
1	208	4.562+01	2.750+07	6.667−04	9.010−03	0.000+00	0.000+00
1	210	4.555+01	3.290+08	1.256−02	1.690−01	0.000+00	0.000+00
1	220	4.529+01	1.150+09	3.544−02	4.760−01	0.000+00	0.000+00
1	222	4.522+01	2.560+08	6.100−03	8.170−02	0.000+00	0.000+00
1	233	4.471+01	1.270+07	4.644−04	6.150−03	0.000+00	0.000+00
1	237	4.465+01	1.040+07	3.111−04	4.110−03	0.000+00	0.000+00
1	241	4.438+01	1.020+07	3.011−04	3.960−03	0.000+00	0.000+00

Table 4

Transition wavelengths in vacuum (λ_{ij} in Å), radiative rates (A_{ji} in s^{-1}), oscillator strengths (f_{ij} , dimensionless), and line strengths (S , in atomic units) for electric dipole (E1), and A_{ji} for electric quadrupole (E2) and magnetic dipole (M1) transitions of Ni V. See page 13 for Explanation of Tables

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}
1	2	1.139+04	0.000+00	0.000+00	0.000+00	0.000+00	2.329-02
1	7	3.584+02	0.000+00	0.000+00	0.000+00	1.867-05	0.000+00
1	8	3.524+02	0.000+00	0.000+00	0.000+00	0.000+00	1.153-04
1	9	3.489+02	0.000+00	0.000+00	0.000+00	0.000+00	1.705-01
1	11	3.359+02	0.000+00	0.000+00	0.000+00	0.000+00	1.960+00
1	13	3.311+02	0.000+00	0.000+00	0.000+00	0.000+00	2.074-01
1	15	2.939+02	0.000+00	0.000+00	0.000+00	0.000+00	2.745-03
1	16	2.872+02	0.000+00	0.000+00	0.000+00	0.000+00	6.285-02
1	17	2.842+02	0.000+00	0.000+00	0.000+00	0.000+00	4.085-03
1	21	2.342+02	0.000+00	0.000+00	0.000+00	0.000+00	1.036+00
1	28	1.425+02	0.000+00	0.000+00	0.000+00	0.000+00	5.170-01
1	30	1.422+02	0.000+00	0.000+00	0.000+00	0.000+00	4.137-02
1	35	6.115+01	0.000+00	0.000+00	0.000+00	1.594+00	0.000+00
1	36	5.624+01	0.000+00	0.000+00	0.000+00	9.971+03	0.000+00
1	37	4.810+01	0.000+00	0.000+00	0.000+00	9.198+03	0.000+00
1	38	4.808+01	0.000+00	0.000+00	0.000+00	2.508+03	0.000+00
1	39	4.807+01	0.000+00	0.000+00	0.000+00	5.198+02	0.000+00
1	41	4.806+01	0.000+00	0.000+00	0.000+00	6.940+01	0.000+00
1	42	4.716+01	0.000+00	0.000+00	0.000+00	6.719+03	0.000+00
1	43	4.713+01	0.000+00	0.000+00	0.000+00	5.640+03	0.000+00
1	45	4.626+01	0.000+00	0.000+00	0.000+00	6.586+03	0.000+00
1	48	4.619+01	0.000+00	0.000+00	0.000+00	2.670+03	0.000+00
1	49	4.619+01	0.000+00	0.000+00	0.000+00	4.505+02	0.000+00
1	65	4.266+01	0.000+00	0.000+00	0.000+00	1.232+04	0.000+00
1	66	4.265+01	0.000+00	0.000+00	0.000+00	5.668+03	0.000+00
1	68	4.262+01	0.000+00	0.000+00	0.000+00	1.353+03	0.000+00
1	69	4.259+01	0.000+00	0.000+00	0.000+00	1.293+02	0.000+00
1	71	4.241+01	0.000+00	0.000+00	0.000+00	1.338+02	0.000+00
1	80	4.125+01	3.023+07	6.000-04	7.333-03	0.000+00	0.000+00
1	83	4.109+01	0.000+00	0.000+00	0.000+00	6.845+01	0.000+00
1	94	3.945+01	3.313+09	6.012-02	7.028-01	0.000+00	0.000+00
1	109	3.520+01	1.302+07	2.419-04	2.524-03	0.000+00	0.000+00
1	110	3.519+01	7.253+07	1.647-03	1.717-02	0.000+00	0.000+00
1	113	3.490+01	1.865+07	3.406-04	3.522-03	0.000+00	0.000+00
1	114	3.485+01	2.902+08	6.459-03	6.670-02	0.000+00	0.000+00
1	120	3.474+01	4.579+09	1.013-01	1.042+00	0.000+00	0.000+00
1	121	3.473+01	5.149+08	7.241-03	7.451-02	0.000+00	0.000+00
1	122	3.471+01	9.420+08	1.701-02	1.750-01	0.000+00	0.000+00
1	126	3.458+01	2.706+08	3.773-03	3.865-02	0.000+00	0.000+00
1	127	3.448+01	1.570+07	2.799-04	2.859-03	0.000+00	0.000+00
1	128	3.438+01	4.960+09	6.837-02	6.964-01	0.000+00	0.000+00
1	131	3.431+01	1.091+08	1.498-03	1.522-02	0.000+00	0.000+00
1	142	3.397+01	1.558+07	2.096-04	2.109-03	0.000+00	0.000+00
1	143	3.391+01	1.436+08	2.476-03	2.488-02	0.000+00	0.000+00
1	144	3.386+01	9.163+08	1.924-02	1.931-01	0.000+00	0.000+00
1	145	3.370+01	6.882+08	9.112-03	9.098-02	0.000+00	0.000+00
1	146	3.366+01	3.726+09	6.330-02	6.313-01	0.000+00	0.000+00
1	151	3.360+01	5.948+07	1.231-03	1.226-02	0.000+00	0.000+00
1	152	3.358+01	2.389+07	3.141-04	3.126-03	0.000+00	0.000+00
1	160	3.344+01	2.316+08	3.019-03	2.991-02	0.000+00	0.000+00
1	162	3.328+01	5.642+07	7.287-04	7.186-03	0.000+00	0.000+00
1	165	3.319+01	1.358+08	2.242-03	2.205-02	0.000+00	0.000+00
1	200	3.186+01	7.067+07	1.314-03	1.241-02	0.000+00	0.000+00
1	205	3.178+01	1.172+08	1.774-03	1.671-02	0.000+00	0.000+00
1	207	3.175+01	7.931+07	9.321-04	8.769-03	0.000+00	0.000+00
1	208	3.174+01	2.051+08	3.099-03	2.915-02	0.000+00	0.000+00
1	209	3.174+01	2.457+07	4.536-04	4.266-03	0.000+00	0.000+00
1	212	3.169+01	5.739+08	1.056-02	9.916-02	0.000+00	0.000+00
1	221	3.157+01	1.174+07	1.364-04	1.276-03	0.000+00	0.000+00
1	222	3.154+01	2.035+09	3.034-02	2.836-01	0.000+00	0.000+00
1	225	3.149+01	4.413+08	5.101-03	4.760-02	0.000+00	0.000+00
1	233	3.126+01	2.459+07	3.602-04	3.337-03	0.000+00	0.000+00
1	234	3.122+01	3.790+07	6.770-04	6.264-03	0.000+00	0.000+00
1	237	3.119+01	2.623+07	3.827-04	3.537-03	0.000+00	0.000+00
1	241	3.108+01	1.809+07	2.620-04	2.413-03	0.000+00	0.000+00

Table 4 (continued)

i	j	λ_{ij}	A_{ji}^{E1}	f_{ij}^{E1}	S^{E1}	A_{ji}^{E2}	A_{ji}^{M1}
1	247	3.090+01	3.192+07	4.569−04	4.183−03	0.000+00	0.000+00

Table 5

Radiative transition wavelengths (λ_{ij} in Å) and oscillator strengths (f_{ij} , dimensionless) for all strong E1 transitions of Co IV. See page 13 for Explanation of Tables and Table 1 for definition of level indices.

i	j	λ_{ij}	f_{ij}	i	j	λ_{ij}	f_{ij}	i	j	λ_{ij}	f_{ij}	i	j	λ_{ij}	f_{ij}
1	118	51.188	0.108	52	129	162.272	0.173	70	224	144.317	0.138	96	257	162.114	0.138
5	124	51.346	0.100	52	136	159.532	0.327	71	186	159.592	0.100	96	264	158.759	0.154
11	216	51.536	0.181	52	148	149.186	0.243	71	205	150.731	0.147	96	274	146.990	0.140
18	212	54.778	0.107	53	137	167.420	0.140	71	206	150.517	0.297	96	276	142.359	0.253
23	231	55.457	0.254	53	152	157.305	0.238	71	215	148.112	0.109	97	272	155.333	0.213
23	287	48.286	0.102	53	168	144.551	0.117	72	192	154.348	0.274	97	273	153.170	0.370
24	238	55.355	0.101	54	154	156.999	0.175	72	216	148.599	0.125	98	275	156.371	0.607
25	276	53.825	0.114	54	158	155.353	0.134	72	217	147.988	0.102	98	287	131.837	0.168
32	299	52.835	0.106	55	138	167.267	0.188	73	204	152.338	0.199	99	277	149.839	0.223
33	74	151.191	0.203	55	156	155.927	0.393	73	214	149.817	0.123	99	279	148.679	0.165
33	75	150.062	0.284	56	159	160.483	0.186	77	213	156.658	0.163	99	280	148.077	0.192
33	76	148.318	0.373	56	162	158.493	0.304	77	218	154.524	0.108	99	285	142.647	0.105
34	300	59.879	0.115	56	173	147.190	0.115	77	231	148.747	0.157	100	277	149.866	0.110
34	310	53.886	0.128	57	161	160.565	0.159	78	188	166.474	0.149	100	278	149.258	0.150
35	93	158.667	0.376	57	164	157.956	0.327	78	238	148.964	0.124	100	282	146.978	0.212
35	94	157.548	0.272	58	160	160.921	0.139	78	243	146.314	0.142	101	278	149.316	0.133
35	95	156.857	0.164	58	163	158.228	0.304	79	219	159.396	0.117	101	281	147.166	0.343
36	322	57.198	0.307	59	172	155.340	0.137	79	232	152.800	0.229	101	282	147.033	0.121
37	110	155.671	0.272	59	177	152.197	0.323	79	251	143.455	0.111	101	284	142.885	0.105
37	116	149.392	0.333	59	178	151.837	0.133	80	221	158.841	0.151	102	283	154.536	0.298
37	118	148.116	0.182	59	183	148.463	0.190	80	235	151.764	0.191	102	287	149.149	0.129
38	109	156.035	0.234	60	171	155.968	0.109	80	252	143.438	0.112	102	288	146.492	0.266
38	115	150.114	0.335	60	172	155.349	0.144	81	226	158.100	0.127	103	291	150.239	0.199
38	122	147.794	0.138	60	176	152.921	0.121	81	227	157.797	0.139	103	293	148.912	0.333
39	108	156.237	0.210	60	178	151.845	0.168	81	239	151.196	0.320	103	297	146.605	0.204
39	114	150.834	0.333	60	185	147.413	0.194	81	253	142.796	0.122	104	290	150.843	0.244
40	107	156.343	0.199	61	171	156.005	0.186	82	219	162.156	0.123	104	292	149.355	0.170
40	113	151.476	0.346	61	174	154.799	0.193	82	236	153.989	0.104	104	296	146.919	0.224
41	106	156.392	0.212	61	176	152.957	0.138	82	242	150.551	0.135	105	289	151.617	0.269
41	112	152.040	0.376	61	187	147.150	0.201	82	251	145.688	0.146	105	294	147.652	0.190
41	124	146.409	0.130	62	186	154.216	0.183	83	252	145.894	0.122	105	295	147.354	0.230
42	123	155.216	0.105	62	189	149.561	0.156	83	255	143.066	0.102	111	298	151.167	0.327
42	127	153.138	0.230	62	200	147.053	0.143	84	235	154.784	0.123	111	299	150.134	0.270
42	147	139.374	0.111	63	181	156.715	0.147	84	253	144.792	0.102	111	300	146.387	0.181
43	120	157.030	0.110	63	193	148.878	0.140	84	254	143.795	0.138	165	303	161.805	0.157
43	128	150.683	0.148	63	202	146.555	0.165	85	233	157.329	0.206	165	307	148.083	0.370
43	145	140.027	0.106	64	182	156.810	0.106	85	246	150.382	0.141	166	305	150.505	0.106
44	119	157.432	0.142	64	195	148.931	0.127	85	248	149.877	0.137	166	306	150.477	0.245
44	132	149.971	0.234	64	201	146.982	0.241	86	236	157.062	0.151	166	309	143.681	0.102
44	146	139.754	0.100	64	202	146.866	0.106	86	247	150.204	0.119	167	302	163.380	0.161
45	144	150.438	0.313	65	203	148.559	0.327	86	250	148.618	0.121	167	305	150.536	0.438
45	147	146.502	0.168	65	207	147.649	0.101	87	237	156.820	0.142	167	309	143.709	0.134
46	139	152.980	0.313	65	210	146.953	0.177	87	245	150.758	0.124	175	306	161.590	0.106
46	155	145.110	0.287	65	220	144.197	0.101	87	249	149.123	0.137	175	308	157.781	0.246
47	139	153.107	0.102	66	198	149.841	0.216	88	244	157.423	0.257	175	310	148.955	0.217
47	141	152.748	0.227	66	208	147.761	0.109	88	263	147.332	0.263	190	313	146.246	0.356
48	143	151.657	0.273	66	220	144.322	0.116	89	255	152.174	0.103	190	316	142.791	0.180
48	146	146.964	0.105	67	180	160.221	0.152	89	266	143.260	0.190	191	312	148.088	0.254
48	157	144.003	0.107	67	184	158.335	0.303	89	269	142.857	0.134	191	315	144.021	0.123
49	142	152.370	0.244	67	212	147.091	0.264	90	268	142.938	0.130	191	316	142.895	0.130
49	151	146.465	0.104	68	197	150.510	0.197	90	270	142.729	0.190	194	311	148.812	0.294
50	131	161.339	0.187	68	209	147.613	0.109	91	250	155.732	0.140	194	314	145.095	0.188
50	133	160.778	0.308	68	222	143.839	0.124	91	256	152.073	0.137	194	315	144.137	0.145
50	149	148.995	0.258	69	196	151.340	0.193	91	265	144.022	0.161	230	317	150.937	0.173
51	130	161.879	0.164	69	223	143.746	0.108	91	267	143.045	0.119	230	321	146.743	0.376
51	135	160.079	0.310	70	195	152.304	0.185	92	261	149.773	0.266	230	322	135.327	0.144
51	150	149.133	0.237	70	211	148.253	0.123	92	262	149.040	0.138				

Table 6

Radiative transition wavelengths (λ_{ij} in Å) and oscillator strengths (f_{ij} , dimensionless) for all strong E1 transitions of Ni V. See page 14 for Explanation of Tables and Table 2 for definition of level indices.

i	j	λ_{ij}	f_{ij}	i	j	λ_{ij}	f_{ij}	i	j	λ_{ij}	f_{ij}	i	j	λ_{ij}	f_{ij}
1	120	34.741	0.101	51	150	125.063	0.222	69	196	127.422	0.193	93	276	119.574	0.237
12	217	34.965	0.169	52	129	135.778	0.160	70	195	128.503	0.155	97	271	130.669	0.155
19	213	36.616	0.100	52	136	132.863	0.312	70	211	124.779	0.103	97	273	128.559	0.336
19	260	35.075	0.154	52	149	125.108	0.227	70	229	121.221	0.143	98	275	131.355	0.552
23	232	36.878	0.238	53	137	139.744	0.126	71	209	126.192	0.276	98	287	110.896	0.172
23	287	33.189	0.101	53	152	131.357	0.226	72	194	129.979	0.232	99	277	126.121	0.185
25	276	36.088	0.112	53	169	121.117	0.114	73	205	128.212	0.127	99	279	125.220	0.151
32	299	35.638	0.104	54	157	131.097	0.175	73	215	126.389	0.116	99	280	124.558	0.202
33	300	39.153	0.112	54	161	129.446	0.119	74	214	131.364	0.129	99	286	119.724	0.107
33	310	36.244	0.124	55	138	139.878	0.154	74	221	129.446	0.139	100	277	126.158	0.115
34	322	37.801	0.301	55	159	130.248	0.353	74	232	124.842	0.149	100	278	125.593	0.116
35	77	127.957	0.193	56	162	133.907	0.152	75	191	139.517	0.114	100	281	123.298	0.225
35	80	126.770	0.271	56	165	132.460	0.282	75	238	125.175	0.114	101	278	125.669	0.137
35	84	124.855	0.358	56	175	123.150	0.105	75	243	123.168	0.134	101	282	123.242	0.327
36	94	132.120	0.356	57	164	133.928	0.142	76	231	128.286	0.186	102	283	129.062	0.271
36	95	130.972	0.259	57	167	131.901	0.294	76	251	120.506	0.102	102	287	124.622	0.121
36	96	130.274	0.157	58	163	134.494	0.120	78	219	133.709	0.145	102	288	122.770	0.250
37	111	130.934	0.257	58	166	132.180	0.281	78	235	127.248	0.138	103	290	126.989	0.153
37	119	125.220	0.320	59	170	131.755	0.109	78	252	120.594	0.107	103	293	124.699	0.320
37	120	125.126	0.157	59	172	131.120	0.127	79	223	133.397	0.126	103	297	122.972	0.177
38	110	131.341	0.218	59	179	127.422	0.166	79	226	132.534	0.129	104	291	126.914	0.210
38	115	125.949	0.319	59	188	124.420	0.177	79	239	126.687	0.307	104	292	126.088	0.163
38	122	124.840	0.118	60	170	131.772	0.167	79	253	119.845	0.113	104	296	123.371	0.207
39	109	131.545	0.196	60	173	130.896	0.160	81	242	126.686	0.129	104	297	123.052	0.114
39	114	126.757	0.298	60	176	128.792	0.133	81	251	122.390	0.128	105	289	127.696	0.193
40	107	131.670	0.197	60	190	124.229	0.146	82	231	130.768	0.120	105	294	124.323	0.180
40	112	128.029	0.359	61	172	131.145	0.135	82	252	122.673	0.102	105	295	123.922	0.224
40	124	123.425	0.118	61	178	127.675	0.310	83	235	129.925	0.157	106	298	126.240	0.307
41	108	131.640	0.186	61	179	127.445	0.122	83	254	121.394	0.136	106	299	125.718	0.256
41	113	127.422	0.324	61	186	125.497	0.157	85	234	131.338	0.202	106	300	123.107	0.168
42	127	128.241	0.204	62	189	129.189	0.130	85	246	125.996	0.113	153	303	136.488	0.147
42	146	117.607	0.119	62	192	125.770	0.135	85	247	125.765	0.110	153	307	124.456	0.350
43	118	132.294	0.108	62	199	123.907	0.107	86	236	131.373	0.131	154	305	127.053	0.225
43	128	127.098	0.153	63	183	131.768	0.134	86	248	125.555	0.109	155	302	138.120	0.142
43	145	118.227	0.116	63	193	125.324	0.123	86	250	124.392	0.121	155	306	127.087	0.409
44	117	132.688	0.131	63	203	123.130	0.150	87	237	131.026	0.194	155	309	121.195	0.138
44	130	126.410	0.234	64	195	125.336	0.133	87	245	126.402	0.103	168	305	135.402	0.108
44	147	117.915	0.100	64	202	123.488	0.213	87	249	124.862	0.131	168	308	131.578	0.222
45	144	126.270	0.299	65	206	124.538	0.305	88	244	131.593	0.222	168	310	125.336	0.194
45	146	123.568	0.147	65	212	123.247	0.151	88	264	123.297	0.209	180	313	122.530	0.340
46	139	128.849	0.263	66	200	125.985	0.186	89	268	120.489	0.122	180	316	119.784	0.157
46	158	122.008	0.253	66	207	124.259	0.113	89	270	119.964	0.174	181	312	124.589	0.221
47	141	128.654	0.207	66	212	123.369	0.108	90	272	119.462	0.173	181	315	121.134	0.103
48	143	127.584	0.257	66	222	121.059	0.122	91	250	130.176	0.125	181	316	119.895	0.145
49	142	128.316	0.230	67	184	134.178	0.129	91	256	127.755	0.131	182	311	125.271	0.260
50	133	134.842	0.175	67	187	132.229	0.283	92	260	125.787	0.177	182	314	122.317	0.176
50	134	134.111	0.289	67	213	123.565	0.237	92	262	125.404	0.116	182	315	121.257	0.154
50	151	124.920	0.244	68	198	126.625	0.165	93	257	135.458	0.119	197	317	126.299	0.159
51	131	135.398	0.158	68	210	124.077	0.110	93	263	132.847	0.138	197	320	122.687	0.356
51	135	133.410	0.293	68	225	120.566	0.118	93	274	122.767	0.132	197	322	113.388	0.136